7. Electrical Parts List

7-1 CB14F12TSXXEC(CB14F12ZSXXEC)

Level	Loc. No.	Code No.	Description ; Specification	Remark
			ASSY-PCB,MAIN(OPT)	
1	*	HA94-100749	ASSY-PCB,MAIN(OPT);CB,14F1,TTX,ORION,KS1	
2	PCB(AC	HA99-100725	ASSY-PCB,MAIN(ACI);CB,14F1,ORION,KS1A	
3	D201	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 3	D811	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 3	D801S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
⚠ 3	D803S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
⚠ 3	D804S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
⚠ 3	D802S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
3	D501	0402-000254	DIODE-RECTIFIER;RGP10J,600V,1A,DO-41,TP	
⚠ 3	D803	0402-000254	DIODE-RECTIFIER;RGP10J,600V,1A,DO-41,TP	
3	D301	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D304	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 3	D401	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D502	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D503	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D504	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 3	D812	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D302	0402-001352	DIODE-RECTIFIER;GUF15G-20A,400V,1.5A,DO-	
3	DZ402	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ807	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ810	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ903	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ904	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ905	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ901	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ101	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
3	DZ303	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
3	DZ803	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
3	DZ201	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ204	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ205	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ207	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ501	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ502	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ503	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ504	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ704	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ808	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ306	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ307	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ701	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ702	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ703	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ801	0403-001140	DIODE-ZENER;RD10ESAB-T4,10V,9.19-10.30V,	
3	DZ302	0403-001221	DIODE-ZENER;UZ39BSB,35.36-37.19V,500MW,D	
3	DZ806	0403-001317	DIODE-ZENER;MTZJ3.0B,3.01-3.22V,500mW,DO	
3	DZ802	0403-001318	DIODE-ZENER;MTZJ4.3B,4.17-4.43V,500mW,DO	
3	DZ203	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
3	DZ805	0403-001327	DIODE-ZENER;MTZJ18A,16.22-17.06V,500mW,D	
3	DZ301	0403-001328	DIODE-ZENER;MTZJ22A,20.15-21.20V,500mW,D	
3	DZ305	0403-001328	DIODE-ZENER;MTZJ22A,20.15-21.20V,500mW,D	
3	Q201	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400MW,TO-92,T	
3	Q901	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400MW,TO-92,T	
3	Q402	0501-000369	TR-SMALL SIGNAL;KSC2331-Y,NPN,1W,TO-92L,	
3	Q202	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q205	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q701	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q903	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q905	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q704	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
⚠ 3	VX801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
3	R207	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R905	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R906	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R218	2001-000008	R-CARBON;15KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R602	2001-000008	R-CARBON;15KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R205	2001-000011	R-CARBON;75Kohm,5%,1/8W,AA,TP,1.8x3.2mm	
3	R301	2001-000016	R-CARBON(S);10HM,5%,1/2W,AA,TP,2.4x6.4MM	
3	J125	2001-000016	R-CARBON(S);10HM,5%,1/2W,AA,TP,2.4x6.4MM	
3	R843	2001-000019	R-CARBON(S);100HM,5%,1/2W,AA,TP,2.4X6.4M	
3	R618	2001-000019	R-CARBON(S);100HM,5%,1/2W,AA,TP,2.4X6.4M	
3	R409	2001-000022	R-CARBON(S);33OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	R823	2001-000037	R-CARBON(S);330OHM,5%,1/2W,AA,TP,2.4X6.4	
3	R211	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R215	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R223	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R501	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R502	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R506	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R510	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R511	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R512	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R909	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R911	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R912	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R913	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R914	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	J137	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R718	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R933	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R934	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R224	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R828	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R910	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R920	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R922	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R921	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R919	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R709	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R230	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R225	2001-001035	R-CARBON;91ohm,5%,1/8W,AA,TP,1.8x3.2mm	
3	R918	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R926	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R210	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R723	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R721	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R916	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R917	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R220	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R907	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R908	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R901	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R903	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R214	2001-000490	R-CARBON;200OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R206	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R829	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R929	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R208	2001-000591	R-CARBON;3.3KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R202	2001-000689	R-CARBON;390KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R925	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R841	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R227	2001-000739	R-CARBON;4.7MOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R228	2001-000739	R-CARBON;4.7MOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R109	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R724	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R725	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R726	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R727	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R209	2001-000793	R-CARBON;47OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R927	2001-000793	R-CARBON;47OHM,5%,1/8W,AA,TP,1.8X3.2MM	

Level	Loc. No.	Code No.	Description ; Specification	Remark
3	R203	2001-000857	R-CARBON;560OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R204	2001-000857	R-CARBON;560OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R713	2001-000857	R-CARBON;560OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R715	2001-000857	R-CARBON;560OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R110	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R915	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R722	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R213	2001-000938	R-CARBON;68ohm,5%,1/8W,AA,TP,1.8x3.2mm	
3	R108	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R222	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R702	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R719	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R720	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R408	2001-001037	R-CARBON(S);0.39OHM,5%,1/2W,AA,TP,2.4X6.	
3	R504	2001-001062	R-CARBON(S);10MOHM,5%,1/2W,AA,TP,2.4X6.4	
3	R414	2001-001078	R-CARBON(S);15KOHM,5%,1/2W,AA,TP,2.4X6.4	
3	R806	2001-001108	R-CARBON(S);22KOHM,5%,1/2W,AA,TP,2.4X6.4	
3	R411	2001-001114	R-CARBON(S);270OHM,5%,1/2W,AA,TP,2.4X6.4	
3	R809	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
3	R810	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
3	R501M	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R502M	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R503	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
⚠ 3	RX801S	2002-001011	R-COMPOSITION;3.3MOHM,10%,1/2W,AA,TP,3.7	
⚠ 3	RY801S	2002-001012	R-COMPOSITION;8.2MOHM,10%,1/2W,AA,TP,3.7	
3	R827	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R316	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R403	2003-000784	R-METAL OXIDE(S);7.5KOHM,5%,2W,AF,TP,4X1	
3	R834	2003-001040	R-METAL OXIDE(S);47Kohm,5%,2W,AF,TP,3.9x	
3	R402	2003-002178	R-METAL OXIDE(S);1Kohm,5%,2W,AG,TP,3.9x1	
3	R407	2003-002209	R-METAL OXIDE(S);47Kohm,5%,2W,AG,TP,3.9X	
3	R219	2004-001914	R-METAL;39KOHM,2%,1/8W,AA,TP,1.8X3.5MM	
3	R817	2004-004089	R-METAL;123KOHM,1%,1/2W,AA,TP,2.5X6.5M	
3	R423	2004-004089	R-METAL;123KOHM,1%,1/2W,AA,TP,2.5X6.5M	
3	R304	2008-000253	R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP,3.9x10m	
3	R305	2008-000253	R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP,3.9x10m	
3	R825	2008-000266	R-FUSIBLE(S);1OHM,5%,2W,AF,TP,3.9X10MM	
3	R824	2008-000294	R-FUSIBLE(S);33ohm,5%,2W,AF,TP,3.9x10mm	
3	R420	2008-001110	R-FUSIBLE(S);68ohm,5%,2W,AG,TP,3.9X12mm	
3	R814	2008-001086	R-FUSIBLE(S);3.3ohm,5%,2W,AG,TP,3.9x12mm	
3	R815	2008-001086	R-FUSIBLE(S);3.3ohm,5%,2W,AG,TP,3.9x12mm	
3	C904	2201-000180	C-CERAMIC,DISC;10NF,10%,50V,Y5V,TP,6.5*3	
3	C501	2201-000192	C-CERAMIC,DISC;0.01nF,0.25pF,500V,NP0,TP	
3	C302	2201-000259	C-CERAMIC,DISC;0.18nF,10%,500V,Y5P,TP,5.	
3	C303	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
3	C305	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
3	C908	2201-000872	C-CERAMIC,DISC;82pF,5%,50V,CH,8x5mm,5mm,	
3	C909	2201-000872	C-CERAMIC,DISC;82pF,5%,50V,CH,8x5mm,5mm,	
3	C408	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
⚠ 3	CR404S	2201-000639	C-CERAMIC,DISC;0.68nF,10%,2kV,Y5P,TP,9x5	
3	C811	2201-000991	C-CERAMIC,DISC;0.56nF,10%,2kV,Y5P,TP,7.5	
3	C814	2201-000991	C-CERAMIC,DISC;0.56nF,10%,2kV,Y5P,TP,7.5	
3	C503	2201-000723	C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5	
3	C703	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
3	C704	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
3	C106	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
3	C111	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
3	C223	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3	
3	C224	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3	
3	C906	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3	
3	C505	2202-000825	C-CERAMIC,MLC-AXIAL;680pF,10%,50V,Y5P,TP	
3	C226	2202-000829	C-CERAMIC,MLC-AXIAL;820pF,10%,50V,Y5P,3.	
3	C707	2301-000204	C-FILM,PEF;2.7nF,5%,50V,TP,7.4x3.9x13mm,	
3	C502	2301-000213	C-FILM,PEF;220nF,5%,250V,TP,21.5x11,7.5	
3	C109	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm	
3	C804	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm	
3	C805	2301-000235	C-FILM,PEF;3.9nF,5%,50V,TP,6.5x3.0x5.5mm	
3	C309	2301-000254	C-FILM,PEF;39nF,5%,50V,TP,7.5x3.5x6.5mm,	
3	C606	2301-000111	C-FILM,PEF;1.8nF,5%,50V,TP,6.5x3.0x5.5mm	
3	C217	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
3	C234	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
3	C407	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
3	C227	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
3	C248	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
3	C420	2301-001065	C-FILM,MPPF;47nF,5%,630V,TP,19x15.5x7,7.	
3	C301	2305-000285	C-FILM,MPEF;220nF,5%,100V,TP,20x18x11.5	
3	C215	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
3	C216	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
3	C233	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
3	C611	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
3	C613	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
⚠ 3	CR405S	2305-000382	C-FILM,MPEF;4.7NF,5%,400V,TP,-,5MM	
3	C103	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C208	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C210	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C230	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C803	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C819	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C913	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C218	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C204	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C205	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C231	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C618	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C225	2309-000138	C-FILM,PE-PPF;100nF,5%,50V,TP,20x16x8.5,	
3	C812	2401-000262	C-AL;100uF,20%,160V,HR,TP,16x25,7.5	
3	C817	2401-000302	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
3	C821	2401-000302	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
3	C823	2401-000302	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
3	C915	2401-000302	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
3	C307	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
3	C308	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
3	C506	2401-000430	C-AL;10UF,20%,250V,GP,TP,10X16MM,5M	
3	C820	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	C612	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	C604	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	C219	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
3	C212	2401-000660	C-AL;2.2uF,20%,50V,GP,TP,5x11,5	
3	C221	2401-000660	C-AL;2.2uF,20%,50V,GP,TP,5x11,5	
3	C605	2401-000660	C-AL;2.2uF,20%,50V,GP,TP,5x11,5	
3	C222	2401-000758	C-AL;220NF,20%,50V,GP,TP,5X11MM,5MM	
3	C827	2401-000927	C-AL;22UF,20%,250V,GP,TP,13X20MM,5M	
3	C110	2401-000962	AL;22uF,20%,50V,GP,TP,5x11,5	
3	C101	2401-001101	C-AL;330uF,20%,16V,GP,TP,8x11.5,5	
3	C802	2401-001192	C-AL;33uF,20%,50V,GP,TP,6.3x11,5	
3	C504	2401-001232	C-AL;4.7uF,20%,250V,GP,TP,10x12.5,5	
3	C209	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C213	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C229	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C903	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C910	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C705	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
3	C706	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
3	C710	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
3	C711	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
3	C601	2401-001998	C-AL;1000UF,20%,25V,GP,TP,10X20,5MM	
3	C206	2401-002235	C-AL;10UF,20%,16V,GP,TP,5X11MM,5MM	
3	C220	2401-002235	C-AL;10UF,20%,16V,GP,TP,5X11MM,5MM	
3	C709	2401-002235	C-AL;10UF,20%,16V,GP,TP,5X11MM,5MM	
3	C304	2401-002288	C-AL;470uF,20%,25V,WT,TP,10x20,5	
3	C306	2401-002288	C-AL;470uF,20%,25V,WT,TP,10x20,5	
3	C813	2401-002290	C-AL;47uF,20%,160V,GP,TP,13x20,5	
3	C406	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
3	C214	2401-003102	C-AL;100uF,20%,10V,GP,TP,5x11,5	
3	L103	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.4MM	
3	L202	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.4MM	
3	L301	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4MM	
3	L302	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4MM	
3	L404	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4MM	
3	L903	2701-000158	INDUCTOR-AXIAL;22uH,10%,2.5x3.4mm	
3	L102	2701-000159	INDUCTOR-AXIAL;22UH,10%,4.2X9.8MM	
3	L201	2701-000159	INDUCTOR-AXIAL;22UH,10%,4.2X9.8MM	
3	L205	2701-000159	INDUCTOR-AXIAL;22UH,10%,4.2X9.8MM	
3	L405	2701-000159	INDUCTOR-AXIAL;22UH,10%,4.2X9.8MM	
3	L104	2701-000168	INDUCTOR-AXIAL;3.3 UH 5% 2.5X3.4 MM	
3	L204	2701-000168	INDUCTOR-AXIAL;3.3 UH 5% 2.5X3.4 MM	
3	L902	2701-000180	INDUCTOR-AXIAL;33UH,5%,2.5X3.4MM	
3	L904	2701-000180	INDUCTOR-AXIAL;33UH,5%,2.5X3.4MM	
3	L702	2701-000184	INDUCTOR-AXIAL;4.7UH,10%,2.5X3.4MM	
3	L703	2701-000184	INDUCTOR-AXIAL;4.7UH,10%,2.5X3.4MM	
3	L704	2701-000184	INDUCTOR-AXIAL;4.7UH,10%,2.5X3.4MM	
3	L706	2701-000184	INDUCTOR-AXIAL;4.7UH,10%,2.5X3.4MM	

Level	Loc. No.	Code No.	Description ; Specification	Remark
3	X901	2801-003937	CRYSTAL-UNIT;12MHz,25ppm,28-AAM,30pF,30o	
3	L806	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5X5,TP,-	
3	L808	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5X5,TP,-	
3	L403	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5X5,TP,-	
3	Z202	2903-001040	FILTER-CERAMIC,TR,5.5/6.0/6.5MHz,-,1dB,-	
3	L802	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
3	L803	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
3	J910	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
3	F801A	3602-000114	FUSE-HOLDER;-,-,30MOHM	
3	F801B	3602-000114	FUSE-HOLDER;-,-,30MOHM	
3	C107	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	C507	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	C508	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	D202	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J102	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J103	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J104	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J106	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J107	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J108	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J110	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J111	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J113	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J114	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J117	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J120	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J121	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J122	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J124	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J126	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J127	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J128	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J129	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J131	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J132	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J133	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J134	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J135	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J136	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J138	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J139	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J140	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J142	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J143	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J145	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J146	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J147	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J148	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J150	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J151	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J152	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J154	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J155	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J156	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J157	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J158	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J159	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J160	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J163	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J167	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J168	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J170	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J171	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J173	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J174	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J175	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J176	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J182	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J185	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J186	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J187	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J189	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J190	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J192	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J193	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J195	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J196	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J198	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J401	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J803	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J807	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J812	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J902	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J913	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
⚠ 3	NT801S	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R107	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R309	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
⚠ 3	R422S	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R507	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R508	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R509	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R717	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J162	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J105	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J112	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J153	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J183	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J204	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J209	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J177	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J211	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J212	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J199	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J184	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	C912	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	L910	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R701	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J169	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J200	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
⚠ 3	D802	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R805	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R850	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R229	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JK01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JK02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JK03	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JK04	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J179	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J180	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J601	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J603	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J814	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R101	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R102	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R708	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J207	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	EY401	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY402	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY405	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY406	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY407	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY408	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY409	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY410	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY411	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY412	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY414	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY415	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY416	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY417	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY419	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY420	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY421	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY422	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY423	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY501	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY802	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY803	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY807	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY808	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY809	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY810	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY813	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY818	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	

Level	Loc. No.	Code No.	Description ; Specification	Remark
3	EY819	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY821	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY822	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY825	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY827	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY828	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY829	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY850	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY851	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY852	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY853	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY860	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY861	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY824	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY823	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY833	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY801	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY403	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY404	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY101	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY830	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EL301	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL302	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL403	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL407	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL408	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL501	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL502	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL801	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL802	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL804	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL404	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL603	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL604	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	GT101	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT301	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT302	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT401	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT402	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT502	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT801	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT802	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT803	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT804	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT805	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT806	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT501	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT807	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	R424	2004-001402	R-METAL(S);6.8KOHM,1%,1/2W,AA,TP,2.4X6.4	
3	R306	2004-004969	R-METAL(S);1.1Kohm,1%,1/2W,AA,TP,2.4x6.4	
⚠ 3	FD801S	3601-001163	FUSE-AXIAL LEAD;125V,7A,-,EPOXY,2.4X7.1M	
⚠ 3	D807	0402-000493	DIODE-RECTIFIER;1R5GU41,400V,1.5A,DO-15L	
3	D303	0402-001321	DIODE-RECTIFIER;1A4G,400,1A,R-1,TP	
⚠ 3	D809	0402-001321	DIODE-RECTIFIER;1A4G,400,1A,R-1,TP	
3	C115	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
3	C211	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
3	C911	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
3	C822	2401-000711	C-AL;2200uF,20%,25V,GP,TP,16x25,7.5	
3	C806	2301-001435	C-FILM,PPF;1.5nF,5%,1.2kV,TP,15x8x12.5mm	
3	C207	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
3	C901	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
3	HIC01	AA13-20004W	IC-HYBRID;-,PAP103T,SIP,6P,PRE-AMP,TP	
3	RW701	2011-001133	R-NETWORK;33K/24K/75x3,5%,1/8W,X,SIP,6P,	
3	R421	2008-001114	R-FUSIBLE(S);1.5ohm,5%,2W,AG,TP,3.9x12mm	
3	PCB	AA41-00131G	PCB-MAIN;G,KS1A,FR-1,1L,C,1.6T,245	
3	C702	2202-000210	C-CERAMIC,MLC-AXIAL;270PF,10%,50V,Y5P,TP	
3	R413	2003-001035	R-METAL OXIDE(S);27ohm,5%,2W,AF,TP,3.9x1	
⚠ 3	FP801S	3601-000281	FUSE-CARTRIDGE;250V,4A,TIME-LAG,GLASS,5.	
3	L101	2701-000171	INDUCTOR-AXIAL;330NH,10%,2.5X3.4MM	
3	J101	2001-000613	R-CARBON;3.9KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	C403	2401-000560	C-AL;1uF,20%,160V,GP,TP,6.3x11,5	
3	R303	2008-001013	R-FUSIBLE(S);1.2ohm,5%,2W,AF,TP,3.9x10mm	
3	R406	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	R302	2004-001369	R-METAL(S);1.2Kohm,1%,1/2W,AA,TP,2.4x6.4	
3	R808	2001-001138	R-CARBON(S);390OHM,5%,1/2W,AA,TP,2.4X6.4	
3	R831	2001-001088	R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4M	

Level	Loc. No.	Code No.	Description ; Specification	Remark
⚠ 3	D804	0401-000006	DIODE-SWITCHING BAV21,250V,250mA,DO-35,T	
⚠ 3	D805	0402-001443	DIODE-RECTIFIER;EGP20K,800V,1.5A,DO-204A	
3	R505	2008-000254	R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP,3.9x10m	
3	R405	2001-001116	R-CARBON(S);27OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	C203	2401-002462	C-AL;33uF,20%,16V,GP,TP,5x11,5	
3	R811	2003-002239	R-METAL OXIDE(S);100KOHM,5%,2W,AF,TP,3.9	
3	R812	2003-002239	R-METAL OXIDE(S);100KOHM,5%,2W,AF,TP,3.9	
3	R902	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R904	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	SW901	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW902	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW903	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW904	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW905	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	C615	2202-000253	C-CERAMIC,MLC-AXIAL;4.7nF,20%,16V,Y5R,TP	
3	C818	2401-003028	C-AL;100uF,20%,25V,WT,TP,6.3x11,5	
3	L804	2701-001030	INDUCTOR-AXIAL;43uH,10%,5x14mm	
3	L807	2701-001030	INDUCTOR-AXIAL;43uH,10%,5x14mm	
3	R728	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R923	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R801	2003-002171	R-METAL OXIDE(S);150ohm,5%,2W,AG,TP,3.9x	
3	R840	2001-001122	R-CARBON(S);3.9KOHM,5%,1/2W,AA,TP,2.4X6.	
3	C603	2301-000247	C-FILM,PEF;33nF,5%,50V,TP,8.1x4.5x13mm,5	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
3	C102	2202-000279	C-CERAMIC,MLC-AXIAL;47pF,5%,50V,SL,TP,3.	
3	R601	2001-000812	R-CARBON;5.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	DZ401	0403-001319	DIODE-ZENER;MTZJ4.7C,4.68-4.93V,500mW,DO	
3	DZ906	0403-001319	DIODE-ZENER;MTZJ4.7C,4.68-4.93V,500mW,DO	
3	DZ907	0403-001319	DIODE-ZENER;MTZJ4.7C,4.68-4.93V,500mW,DO	
3	DZ908	0403-001319	DIODE-ZENER;MTZJ4.7C,4.68-4.93V,500mW,DO	
⚠ 2	NT802S	1404-001045	THERMISTOR-NTC;4.7OHM,15%,2900K,35.0MW,T	
⚠ 2	P803S	1404-001156	THERMISTOR-PTC;9OHM,+30%/-20%,220VRMS,27	
⚠ 2	CX801S	2306-000318	C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm	
⚠ 2	SF101S	2904-001239	FILTER-SAW AV;38.9MHz,SIP5K,ST,16.3dB,B/	
⚠ 2	T401	AA26-50001B	TRANS-HORIZ.DRIVE;-,-,-,7.1mH,-,-,102uH,	
⚠ 2	LX801S	AA29-30001D	FILTER-LINE NOISE;SQ1913,-,6.0MH,0.8A,-	
⚠ 2	TU01S	AA40-00076A	TUNER;TECC0949PG35A(S),PAL,181CH,38.9MHZ	
2	LD901	AA96-00555A	ASSY LED GUIDE;-,-,UEX-LD-030,GREEN	
2	IC501	HA96-50311A	ASSY-H/S;-,VIDEO,AA62-30175D,TDA6107Q,-	
3	IC501	1201-001541	IC-VIDEO AMP;6107,ZSIP,9P,-,SINGLE,-,PLA	
3	SCR501	HA60-020004	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YE),SWR	
3	H/S501	AA62-30175D	HEAT SINK-PS;-,SECC,T1.0,-,33X15X30 FT-2	
⚠ 2	V999S	3704-001089	SOCKET-CRT;7P,22.5PI,12PI,SN,-	
2	RM901	AA32-00001A	MODULE REMOCON;-,ORC-195VF,38KHZ,940nm,M	
⚠ 2	IC801S	HA96-00242A	ASSY-H/S;-,-,AA62-30186B,KA5Q0765R,-	
⚠ 3	IC801	1203-001932	IC-PWM CONTROLLER;5Q0765,TO-220F,5P,185M	
3	SCR801	HA60-020007	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YELYEL)	
3	H/S801	AA62-30186B	HEAT SINK-ES;-,-,-,SILVER,171J + COVER-H	
3		HA68-500033	LABEL-WARNING;A/P(90G),W33,H18,WHT	
3		0205-000129	GREASE-SILICON;SC102,,JAPAN	
⚠ 2	IC802	HA96-00245A	ASSY-H/S;-,POWER,AA62-00055A,KA7632,-	
⚠ 3	IC802	1203-001939	IC-POSI.FIXED REG.;7632,SIP,10P,-,PLASTI	
3	H/S802	AA62-00055A	HEAT SINK-PS;-,-,T1.0,-,35*15*25,D1,-,-,	
3	SCR802	HA60-020004	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YE),SWR	
⚠ 2	T801S	AA26-00134A	TRANS-SWITCHING;,CS21S5T,160V~260V,PM2 P	
2	IC902	1103-001106	IC-EEPROM;C81DC,1028x8Bit,DIP,8P,300MIL,	
⚠ 2	SW801S	3403-000179	SWITCH-PUSH;250V,5A,DPST,-,JPW-2104B	
2	Q401	0502-001160	TR-POWER;2SD2499,NPN,50000mW,TO-3P,BK,8-	
2	JS701	3722-000183	JACK-SCART;21P,4mm,SN,BLK,NO	
2	TOP	AA39-20010D	LEAD CONNECTOR-ASSY;,1P,YFH800-01,S,400,	
2	TOP	AA39-20010D	LEAD CONNECTOR-ASSY;,1P,YFH800-01,S,400,	
2	CN501	AA39-20620C	LEAD-CONNECTOR,ASSY;,9P,YBNH250-09,S,500	
2	IC301	HA96-00244A	ASSY-H/S;-,-,AA62-00046A,LA7840,-	
3		1204-001483	IC-VERTICAL PROCESSO;LA7840,SIP,7P,708MI	
3		AA62-00064A	HEAT SINK-PS;DP,-,-,-,AA62-00046A,-,-,-,	
3		6003-000335	SCREW-TAPTITE;RH,+,2S,M3,L8,ZPC(YEL),SL)	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	C801	2401-002219	C-AL;220uF,20%,400V,GP,ST,25x40,10	
⚠ 2	CR402S	2306-000172	C-FILM,MPPF;270nF,5%,400V,BK,26.5x19mm,2	
⚠ 2	T444S	AA26-00116A	TRANS FBT;FSV-14A004H(S),CT15A8,3.24MH,1	
2	SUB	AA98-00079A	ASSY-SUB,PART;KS1A,MAIN(OPT),PAL,-	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
3		0204-000442	SOLVENT;1M-1000,C3H70H,96,-	
3		0204-001024	FLUX;DF-98TVS,-,20%,-	
⚠ 2	LR401S	AA27-00053A	COIL-LINEARLITY;-,193uH,DR10X10 C:4.35,7	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	CR410	2303-001015	C-FILM,PPF;5.5nF,5%,1.6kV,TP,29x9.5x17,2	
2	IC601	HA96-00245B	ASSY-H/S;-,SOUND,AA62-30175D,TDA8943,-	
3	SCR602	HA60-020004	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YE),SWR	
3	H/S602	AA62-30175D	HEAT SINK-PS;-,SECC,T1.0,-,33X15X30 FT-2	
3	IC602	1201-001740	IC-AUDIO AMP;TDA8943,SIL,9P,850MIL,SINGL	
⚠ 2	CY801S	2201-000446	C-CERAMIC,DISC;3.3nF,20%,400V,Y5U,TP,18x	
⚠ 2	IC201S	AA09-00190A	IC-MOC;TDA9351PS/N2H6,SPM-802EW,64K,DIP,	
2	LW01	AA27-00184A	COIL-HORIZ.WIDTH;480UH,480UH,6X20,0.12X1	
2	CN601	3711-002642	CONNECTOR-HEADER;BOX,3P,1R,2.5MM,STRAIGH	

ASSY-CABINET,FRONT

1	*	HA91-20001A	ASSY-CABINET,FRONT;331F,SILVER	
2	KC+VF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2		AA61-60003T	SPRING-CS;-,SUS304,-,-,OD7,N5,OD7,-,-,-,	
2		AA64-70127F	BADGE-BRAND;NEW,AL,-,-,L40,R800,SILVER,S	
2		AA65-30105A	CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,NTR,1	
2		AA64-40450B	WINDOW-REMOCON;-,501F,-,PC,V0,VIOLET,-	
2		AA64-40451B	INDICATOR-LED;-,33.501F,-,ACRYL,-,CLR,-	
2		HA02-010004	ADHESIVE-HM;-,12MM	
2		HA64-23001A	KNOB-CONTROL;331F,HIPS,SV-012P-II.SILVER	
3		HA64-24001A	KNOB-CONTROL;331F,HIPS,HB,GRAY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
2		HA64-25001A	KNOB-POWER;331F,HIPS,SV-012P-II,SILVER	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA64-26001A	KNOB-POWER;331F,HIPS,HB,GRAY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
2		HA64-20001A	CABINET,FRONT;331F,HIPS,HB,SV-012P-II,	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA64-21001A	CABINET,FRONT;331F,HIPS,HB,GREY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA61-40010A	BOSS-WING;-,HIPS,HB,NTR,-,-	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
3		HA02-010003	ADHESIVE-STR;GP-PS 2	
3		HA02-060005	MARKING-PAINT;-,TPC180,WHITE	

ASSY-CABINET(COM)

1	*	HA90-20001A	ASSY-CABINET(COM);331F	
2	CB+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	CRT+CF	HA60-020010	SCREW-ASSY;WC,HH,+,M5,L26.5,SWRCH18A,ZPC	
2		HA64-22001A	CABINET-BACK;331F,HIPS,HB,GRAY	
3		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
2		AA65-30008A	CLAMP-CORD;PE,HB,BLK,-,-,-	
2		AA65-30106A	CLAMP-D,COIL;14 INCH,NYLON 66,V2,-,NTR,-	
2		AA65-30018A	CLAMP-WIRE;DONG-A,NYLON-66,-,-,-,DATL-60	
2		AA63-10002A	BAND-TIE;-,NYLON66 V2,-,-,L100,NTR,-,-	
2		AA65-30002A	CLAMP-FBT;NYLON-66,V0,BLK,-,-,-	
2		AA65-30009A	CLAMP-FBT;ABS,V0,BLK,-,-,-	
2		HA02-030005	TAPE-INK;WIDTH 55 MM	
2		HA68-500025	LABEL-RATING;A/P 90G,T0.2,L55,W55,STANDA	
2		HA68-500021	LABEL-QMS;-,T0.1,L135,W35,WHT,-,-	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	

ASSY-PACKING

1	*	HA90-21001A	ASSY-PACKING;331F	
2		AA60-40006A	PIN-STAPLE;-,-,H18,33X17.8X2.4,-,AUTO	
2		HA69-20437A	CUSHION-SET;331F,PS FOAMED,C0.02,-,-,-,-	
3		HA01-030006	RESIN-EPS;CHEIL SF-301V,WHT	
2		HA69-51100M	PACKING-CASE;331F,SEH TVI LOCAL,CB S-1,Y	
2		HA68-500026	LABEL-BOX;A/P (120G),T0.2,-,-,STANDARD	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	
2		AA69-30032A	BAG-SHEET;HDPE+PE FOAM,-,W800,H750,-,-,-	

ASSY-SPEAKER

1	*	AA96-10142A	ASSY-SPEAKER;-,16OHM2.5W,000275,AA392050	
2		AA39-20501A	LEAD CONNECTOR-ASSY;,3(2),67096-003,REC,	
2		3001-000275	SPEAKER;2.5W,16ohm,90dB,105Hz	

ASSY-CRT

1	*	HA94-01715A	ASSY-CRT;A34JLL80X27,+380MG,14,ITC,ORIO	
2		AA03-00120A	CRT-COLOR;A34JLL80X27,14,1.0R,57.5%,+380	
2		AA39-20518A	LEAD CONNECTOR-ASSY;,6(4)P,YFH806-06,350	
2		AA27-20003U	COIL-DEGAUSSING;-,14,16.4ohm,75T,890mm,D	
2		AA63-10002A	BAND-TIE;-,NYLON66 V2,-,-,L100,NTR,-,-	
2		AA98-70032A	ASSY-TBC,WIRE(P);DP,14,AA98-70014A,1P,TV	

ASSY-POWER,CORD

1	*	AA96-20122A	ASSY-POWER,CORD;-,CP2/NO(4.0),H/C250,KKJ	

ASSY-ACCESSORY

1	*	HA94-01601A	ASSY-ACCESSORY;KS1A,,XEC	
2		HA68-500047	LABEL-XRAY;A/P 120(G),ITA,KS1A,	
2		4301-000120	BATTERY-MN;1.5V,-,AA,14.5X50MM,-	
2		HA02-030003	TAPE-ACETATE;-,T00.1,W20,L200MM	
2		HA69-00276A	VINYL-BAG;HDPE,T0.025,L400,W240,-,W/O LO	
2		AA26-90001C	TRANS-MATCHING;-,300ohm/75ohm,PAL,40-890	
2		AA42-00003A	ANT-ROD;-,3S,720mm,ABS,UL/CSA,-	
2		HA68-00336B	CARD-WARRANTY;A/P100(G),A5,NEW VERSION,I	

REMOCON

1	*	AA59-00104N	REMOCON;,TM59,SIM806E,29,L/GRAY,TTX/MONO	

7-2 CB20F12TSXXEC(CB20F12TSXXEC and CB14F12TSXXEC)

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY-PCB,MAIN(OPT)

1	*	HA94-100776	ASSY-PCB,MAIN(OPT);CB,501F,TTX,KS	
2	PCB(AC	HA99-100751	ASSY-PCB,MAIN(ACI);CB,501F,KS1A	
3	R814	2008-001112	R-FUSIBLE(S);2.4ohm,5%,2W,AG,TP,3.9x12mm	
3	R815	2008-001112	R-FUSIBLE(S);2.4ohm,5%,2W,AG,TP,3.9x12mm	
3	R423	2004-001373	R-METAL(S);100KOHM,1%,1/2W,AA,TP,2.4X6.4	
3	R303	2003-002070	R-METAL OXIDE;1ohm,5%,2W,AF,TP,3.9x10mm	
3	R505	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
⚠ 3	CR409S	2201-002041	C-CERAMIC,DISC;0.82nF,10%,2kV,Y5P,TP,9x5	
⚠ 2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
⚠ 2	LR401S	AA27-30001B	COIL-LINEARLITY;-,195uH,QIC1010,PI0.4,4.	
2	LW01	AA27-40001N	COIL-HORIZ.WIDTH;-,90/260uH,SB-5S620,PI0	
2	CR402	2306-000195	C-FILM,MPPF;360nF,5%,400V,TP,26x19x11.5,	

ASSY-CABINET,FRONT

1	*	HA91-20005A	ASSY-CABINET,FRONT;20F1,SILVER	
2		AA61-60003T	SPRING-CS;-,SUS304,-,-,OD7,N5,OD7,-,-,-,	
2		HA64-25011A	KNOB-POWER;20F1,21F1,HIPS,SV-012P-II,SIL	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA64-26011A	KNOB-POWER;20F1,21F1,HIPS,HB,GRAY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
2		HA64-23011A	KNOB-CONTROL;20F1,21F1,HIPS,SV-012P-II.S	
3		HA64-24011A	KNOB-CONTROL;20F1,21F1,HIPS,HB,GRAY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
2		AA64-40450B	WINDOW-REMOCON;-,501F,-,PC,V0,VIOLET,-	
2		AA64-40451B	INDICATOR-LED;-,33.501F,-,ACRYL,-,CLR,-	
2		AA64-70127F	BADGE-BRAND;NEW,AL,-,-,L40,R800,SILVER,S	
2		AA65-30105A	CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,NTR,1	
2	SPK+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	KC+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2		HA02-010004	ADHESIVE-HM;-,12MM	
2		0203-000432	TAPE-ACETATE;#156A,T0.25mm,W19mm,L30M,-	
2		HA64-20005A	CABINET,FRONT;20F1,HIPS,HB,SV-012P-II,	
3		HA64-21005A	CABINET,FRONT;20F1,HIPS,HB,GREY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA02-060005	MARKING-PAINT;-,TPC180,WHITE	
2		HA96-00254A	ASSY-SPEAKER;-,16OHM,3W,-,3001-001039,70	
3		3001-001039	SPEAKER;3W,16ohm,90dB,180Hz	
3		AA39-20500C	LEAD CONNECTOR-ASSY;,3(2),67096-003,REC,	

ASSY-CABINET(COM)

1	*	HA90-20027A	ASSY-CABINET(COM); 20F1	
2	CB+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	CRT+CF	HA60-020010	SCREW-ASSY;WC,HH,+,M5,L26.5,SWRCH18A,ZPC	
2		AA65-30008A	CLAMP-CORD;PE,HB,BLK,-,-,-	
2		HA63-600005	SPACER-GUM,CRT;-,NTR RUBBER,T5.0,M5,BLK,	
2		HA64-22005A	CABINET-BACK;20F1,HIPS,HB,GRAY	
3		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
2		AA65-30009A	CLAMP-FBT;ABS,V0,BLK,-,-,-	
2		AA65-30018A	CLAMP-WIRE;DONG-A,NYLON-66,-,-,-,DATL-60	
2		HA68-500025	LABEL-RATING;A/P 90G,T0.2,L55,W55,STANDA	
2		HA02-030005	TAPE-INK;WIDTH 55 MM	
2		HA68-500021	LABEL-QMS;-,T0.1,L135,W35,WHT,-,-	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	

ASSY-PACKING

1	*	HA90-21005A	ASSY-PACKING;20F1	
2		AA60-40006A	PIN-STAPLE;-,-,H18,33X17.8X2.4,-,AUTO	
2		AA69-30032C	BAG-SHEET;HDPE+PE FOAM,-,W1050,H950,-,-	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	
2		HA68-500026	LABEL-BOX;A/P (120G),T0.2,-,-,STANDARD	
2		HA69-200014	CUSHION-SET;-,-,-,-,-,C=0.02,501	
3		HA01-030006	RESIN-EPS;CHEIL SF-301V,WHT	
2		HA69-500013	PACKING-CASE;DP,CB35,-,-,-,YEL,501	

ASSY-CRT

1	*	HA94-50011A	ASSY-CRT;A48ECR43X,+400mG,20,90deg,	
2		AA03-00280A	CRT COLOR;A48ECR43X,+380MG,1.85MH,28.7MH	
2		AA27-20003Y	COIL-DEGAUSSING;-,20,15.2ohm,28T,L2170,E	
2		AA63-10002A	BAND-TIE;-,NYLON66 V2,-,-,L100,NTR,-,-	
2		AA98-70031A	ASSY-TBC,WIRE(P);DP,20,AA98-70014B,1P,TV	
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT	

7-3 CB20F12ZSXXEC(CB20F12ZSXXEC and CB20F12TSXXEC)

Level	Loc. No.	Code No.	Description ; Specification	Remark
			REMOCON	
1	*	AA59-00104J	REMOCON;-,TM59,SIM806E,25,L/GRAY,EX,GRAY	
			ASSY-PCB,MAIN(OPT)	
1	*	HA94-100796	ASSY-PCB,MAIN(OPT);CB,501F,ORION,NTTX,KS	
2	PCB(AC	HA99-100753	ASSY-PCB,MAIN(ACI);CB,501F,ORION,KS1A	
3	R501M	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R502M	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R302	2004-004366	R-METAL(S);1.3Kohm,1%,1/2W,AA,TP,2.5x6.5	
3	R303	2008-001013	R-FUSIBLE(S);1.2ohm,5%,2W,AF,TP,3.9x10mm	
3	R421	2008-001114	R-FUSIBLE(S);1.5ohm,5%,2W,AG,TP,3.9x12mm	
3	R505	2008-001015	R-FUSIBLE(S);1.5ohm,5%,2W,AF,TP,3.9x10mm	
⚠ 2	V999S	3704-001089	SOCKET-CRT;7P,22.5PI,12PI,SN,-	
3		HA68-500033	LABEL-WARNING;A/P(90G),W33,H18,WHT	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	LR401S	AA27-00053A	COIL-LINEARLITY;-,193uH,DR10X10 C:4.35,7	
2	LW01	AA27-40001M	COIL-HORIZ.WIDTH;-,180/480uH,SB-5S6202.6	
⚠ 2	CR402S	2306-001004	C-FILM,MPPF;300NF,5%,400V,TP,26X14X21MM,	
⚠ 2	IC201S	AA09-00191A	IC-MOC;TDA9381PS/N2H6,SPM-802EWN,64K,DIP	
			ASSY-CRT	
1	*	HA94-500041	ASSY-CRT;A48JLL90X02(W),450MG,2.3MH,28MH	
2		AA03-00258A	CRT COLOR;A48JLL80X01,+380MG,2.3MH,28.0M	

7-4 CB14Y52TSXXEC(CB14Y52TSXXEC and CB14F12TSXXEC)

Level	Loc. No.	Code No.	Description ; Specification	Remark
			ASSY-PCB,MAIN(OPT)	
1	*	HA94-100781	ASSY-PCB,MAIN(OPT);CB,14Y5,TTX,KS1A	
2	PCB(AC	HA99-100747	ASSY-PCB,MAIN(ACI);CB,14Y5,ORION,KS1A,	
2	CN703	3711-002648	CONNECTOR-HEADER;BOX,9P,1R,2.5MM,STRAIGH	
2	CN901	3711-003043	CONNECTOR-HEADER;BOX,4P,1R,2.5mm,STRAIGH	
			ASSY-PCB,CONTROL	
1	*	HA95-900051	ASSY-PCB,CONTROL;14Y5,KS1A,TTX	
2	LDC01	0601-000465	LED;ROUND,GRN,5mm,565	
2	RMC01	AA59-60002B	MODULE-REMOCON;-,ORC-50HF,38KHZ,940MM,ME	
2	SWC01	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	SWC02	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	SWC03	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	SWC04	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	SWC05	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	CN901C	AA39-00106C	LEAD CONNECTOR-ASSY;,4P,YBNH250-04,35155	
2	CN902C	AA39-00170A	LEAD CONNECTOR-ASSY;,3P,YBNH250-03,67096	
2	PCB(AC	HA99-200078	ASSY-PCB,CONTROL(ACI);14Y5,KS1A	
3	PCB	AA41-00480A	PCB-CONTROL;CS14Y5,FR-1,1L,A,1.6T,245X24	
			ASSY-PCB,A/V SIDE	
1	*	HA95-900049	ASSY-PCB,A/V SIDE;-,14Y5,KS1A	
2	CN702	AA39-20112E	LEAD CONNECTOR-ASSY;,9P,YBNH025-09,67096	
2	JA701	3722-001343	JACK-RCA;1P,3.4MM,NI,WHT,-	
2	JA702	3722-001342	JACK-RCA;1P,3.4MM,NI,YEL,-	
2	JE601	3722-000144	JACK-PHONE;1P,3.6mm,MBAG,BLACK,-	
2	PCB(AC	HA99-200076	ASSY-PCB,A/V SIDE(ACI);-,14Y5,KS1A	
3	CE01	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	CE06	2202-000862	C-CERAMIC,MLC-AXIAL;390pF,10%,50V,Y5P,TP	
3	CE07	2202-000222	C-CERAMIC,MLC-AXIAL;3.3nF,20%,16V,Y5P,TP	
3	JE01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	LE01	2701-000158	INDUCTOR-AXIAL;22uH,10%,2.5x3.4mm	
3	PCB	AA41-00266B	PCB-FRONT A/V;CB-14Y5T,FR-1,1L,B,1.6T,24	
3	RE01	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	RE04	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
2		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
2		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
2		0204-001024	FLUX;DF-98TVS,-,20%,-	
2		0204-000442	SOLVENT;1M-1000,C3H70H,96,-	
			ASSY-PCB,MASTER S/W	
1	*	HA95-900050	ASSY-PCB,MASTER S/W;-,14Y5,KS1A,-,-,-	
2	PCB(AC	HA99-200077	ASSY-PCB,MASTER S/W(ACI);-,14Y5,KS1A,-,-	
3	PCB	AA41-00295A	PCB-MASTER S/W;CB-14Y5T,CEM-1,1L,A,1.6T,	
2	CN	AA39-20179B	LEAD CONNECTOR-ASSY;,3(2)P,YFH800-150,S,	
			ASSY-CABINET,FRONT	
1	*	HA91-100045	ASSY-CABINET,FRONT;14Y5,SILVER	
2	IL+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	KC+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2		HA64-00864A	KNOB-POWER,M;14Y5,HIPS,HB,GD-906P	
3		HA64-300108	KNOB-POWER;14Y5,HIPS,HB,GRY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060019	MARKING-PAINT;METALLIC-CHAMPAGNE,GD-906P	
2		HA64-00865A	WINDOW-REMOCON;14Y5,PC,-,-,-VO,VIOLET	
3		HA01-030005	RESIN-PC;LEXAN 121R,VIOLET	
2		HA64-00861E	CABINET-FRONT;14Y5,GD-906P EPISOIDE,HIPS	
3		HA64-300109	CABINET-FRONT;14Y5,HIPS,HB,NTR	
4		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA02-060019	MARKING-PAINT;METALLIC-CHAMPAGNE,GD-906P	
3		HA02-060015	MARKING-PAINT;-,TO/3000,BLACK	
3		HA61-00374A	BOSS-CABINET;14Y5,HIPS,HB,G3676	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
3		HA02-010003	ADHESIVE-STR;GP-PS 2	
2		HA64-00866A	INDICATOR-LED;SPACE	
3		HA01-030009	RESIN;OROGLAS,VM-100 ZHN 205	
2		HA64-00863E	KNOB-CONTROL;14Y5,HIPS,HB,GD-906P,CHAMPA	
3		HA64-300110	KNOB-CONTROL;14Y5,HIPS,HB,GRY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060019	MARKING-PAINT;METALLIC-CHAMPAGNE,GD-906P	
2		AA64-70127F	BADGE-BRAND;NEW,AL,-,-,L40,R800,SILVER,S	
2		AA65-30105A	CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,NTR,1	
2		HA02-010004	ADHESIVE-HM;-,12MM	
2		AA61-60003J	SPRING-CS;-,SUS304,-,-,OD6,N7,OD6,-,-,-,	
			ASSY-CABINET(COM)	
1	*	HA90-200038	ASSY-CABINET(COM);14Y5,SILVER	
2	PCB+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	HAV+PC	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	CB+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2		HA60-020006	SCREW-TAPTITE;RWH,+,B,M3,L10,ZPC(YEL)SWR	
2	CRT+CF	HA60-020010	SCREW-ASSY;WC,HH,+,M5,L26.5,SWRCH18A,ZPC	
2		HA64-00862E	CABINET-BACK;14Y5,SV-808P,HIPS,HB,GRAY	
3		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA01-030015	RESIN;M.BATCH,WILSON 6053-GY-60,GRY	
2		AA65-30008A	CLAMP-CORD;PE,HB,BLK,-,-,-	
2		AA65-30106A	CLAMP-D,COIL;14 INCH,NYLON 66,V2,-,NTR,-	
2		AA65-30009A	CLAMP-FBT;ABS,V0,BLK,-,-,-	
2		AA65-30002A	CLAMP-FBT;NYLON-66,V0,BLK,-,-,-	
2		AA65-30104B	CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,BLK,W	
2		AA65-30018A	CLAMP-WIRE;DONG-A,NYLON-66,-,-,-,DATL-60	
2		HA64-00867E	DECORATION-TOP;14Y5,HIPS,HB,GRAY	
3		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
2		HA61-00371E	HOLDER-A/V;14Y5,GD-906P,EPISOIDE,HIPS,HB	
3		HA61-100007	HOLDER-A/V;14Y5,HIPS,HB,GRAY	
4		0103-000288	RESIN-PP;GENERAL,BLK,-,V0	
3		HA02-060019	MARKING-PAINT;METALLIC-CHAMPAGNE,GD-906P	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	
2		HA68-500021	LABEL-QMS;-,T0.1,L135,W35,WHT,-,-	
2		HA68-500025	LABEL-RATING;A/P 90G,T0.2,L55,W55,STANDA	
2		HA02-030005	TAPE-INK;WIDTH 55 MM	
2		HA68-500044	LABEL-COLOUR;14Y5,SILVER	
			ASSY-PACKING	
1	*	HA90-800062	ASSY-PACKING;14Y5,SILVER	
2		HA69-00317A	CUSHION-SET;14Y5,PS C=002,-,-,-	
3		HA01-030006	RESIN-EPS;CHEIL SF-301V,WHT	
2		HA69-00401A	PACKING-CASE;14Y5,A4,CB S-1 A,YEL,414,42	
2		AA69-30032A	BAG-SHEET;HDPE+PE FOAM,-,W800,H750,-,-,-	
2		AA60-40006A	PIN-STAPLE;-,-,H18,33X17.8X2.4,-,AUTO	
2		HA68-500044	LABEL-COLOUR;14Y5,SILVER	
2		HA68-500026	LABEL-BOX;A/P (120G),T0.2,-,-,STANDARD	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	

Level	Loc. No.	Code No.	Description ; Specification	Remark

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY-SPEAKER

1	*	AA96-10142B	ASSY-SPEAKER;-,16OHM2.5W,3001-000275,A	
2		AA39-20500C	LEAD CONNECTOR-ASSY;,3(2),67096-003,REC,	
2		3001-000275	SPEAKER;2.5W,16ohm,90dB,105Hz	

7-5 CB14Y52TBXXEC(CB14Y52TBXXEC and CB14Y52TSXXEC)

Level	Loc. No.	Code No.	Description ; Specification	Remark

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY-CABINET,FRONT

1	*	HA91-100043	ASSY-CABINET,FRONT;14Y5,BLUE	
2		HA64-00861C	CABINET-FRONT;14Y5,BL-005P EPISOIDE,HIPS	
3		HA02-060017	MARKING-PAINT;LIGHT-BLUE,BL-005P,VPAA348	
2		HA64-00863C	KNOB-CONTROL;14Y5,HIPS,HB,BL-005P,L/BLUE	
3		HA02-060017	MARKING-PAINT;LIGHT-BLUE,BL-005P,VPAA348	

ASSY-CABINET(COM)

1	*	HA90-200036	ASSY-CABINET(COM);14Y5,BLUE	
2		HA64-00862C	CABINET-BACK;14Y5,BL-005P,HIPS,HB,W/GRAY	
3		HA64-300111	CABINET-BACK;14Y5,HIPS,HB,	
3		HA02-060017	MARKING-PAINT;LIGHT-BLUE,BL-005P,VPAA348	
2		HA64-00867C	DECORATION-TOP;14Y5,HIPS,HB,G7666,DB-011	
3		HA64-300112	DECORATION-TOP;14Y5,HIPS,HB,NTR	
3		HA02-060021	MARKING-PAINT;DARK-BLUE,DB-011P,VPAA3983	
2		HA61-00371C	HOLDER-A/V;14Y5,BL-005P,EPISOIDE,HIPS,HB	
3		HA02-060017	MARKING-PAINT;LIGHT-BLUE,BL-005P,VPAA348	

ASSY-PACKING

1	*	HA90-800063	ASSY-PACKING;14Y5,BLUE	
2		HA68-500045	LABEL-COLOUR;14Y5,BLUE	

7-6 CB20F42TSXXEC(CB20F42TSXXEC and CB14F12TSXXEC)

Level	Loc. No.	Code No.	Description ; Specification	Remark
			ASSY-PCB,MAIN(OPT)	
1	*	HA94-100774	ASSY-PCB,MAIN(OPT);CB,20H1-H3,TTX,KS1A	
2	PCB(AC	HA99-100739	ASSY-PCB,MAIN(ACI);CB,20H1-H3,KS1A	
3	R303	2003-002070	R-METAL OXIDE;1ohm,5%,2W,AF,TP,3.9x10mm	
3	R423	2004-001373	R-METAL(S);100KOHM,1%,1/2W,AA,TP,2.4X6.4	
3	R505	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
⚠ 3	CR409S	2201-002041	C-CERAMIC,DISC;0.82nF,10%,2kV,Y5P,TP,9x5	
⚠ 2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
⚠ 2	CR402S	2306-000195	C-FILM,MPPF;360nF,5%,400V,TP,26x19x11.5,	
⚠ 2	LR401S	AA27-30001B	COIL-LINEARLITY;-,195uH,QIC1010,PI0.4,4.	
2	LW01	AA27-40001N	COIL-HORIZ.WIDTH;-,90/260uH,SB-5S620,PI0	
2	CN703	3711-002648	CONNECTOR-HEADER;BOX,9P,1R,2.5MM,STRAIGH	
2	CN603	3711-002643	CONNECTOR-HEADER;BOX,4P,1R,2.5mm,STRAIGH	
			ASSY-CRT	
1	*	HA94-50011A	ASSY-CRT;A48ECR43X,+400mG,20,90deg,	
2		AA03-00280A	CRT COLOR;A48ECR43X,+380MG,1.85MH,28.7MH	
2		AA27-20003Y	COIL-DEGAUSSING;-,20,15.2ohm,28T,L2170,E	
2		AA63-10002A	BAND-TIE;-,NYLON66 V2,-,-,L100,NTR,-,-	
2		AA98-70031A	ASSY-TBC,WIRE(P);DP,20,AA98-70014B,1P,TV	
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT	
			ASSY-PACKING	
1	*	HA90-21031A	ASSY-PACKING;20F4	
2		AA60-40006A	PIN-STAPLE;-,-,H18,33X17.8X2.4,-,AUTO	
2		HA69-00646A	CUSHION SET;20F4,CAST	
3		HA01-030006	RESIN-EPS;CHEIL SF-301V,WHT	
2		HA69-00710B	PACKING CASE;20F4,CB D-1 BB,YEL,GUJU EUR	
2		AA69-30032C	BAG-SHEET;HDPE+PE FOAM,-,W1050,H950,-,-,	
2		HA68-500026	LABEL-BOX;A/P (120G),T0.2,-,-,STANDARD	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	
			ASSY-CABINET,FRONT	
1	*	HA91-20031A	ASSY-CABINET,FRONT;20F4,SILVER	
2	KC+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	SPK+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2		AA61-60003T	SPRING-CS;-,SUS304,-,-,OD7,N5,OD7,-,-,-,	
2		AA64-70127F	BADGE-BRAND;NEW,AL,-,-,L40,R800,SILVER,S	
2		AA65-30105A	CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,NTR,1	
2		HA64-01338A	KNOB-POWER;20H3,HIPS,HB,BLK	
3		HA01-030001	RESIN;M.BATCH,WILSON 902-BK-60,BLK	
3		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
2		HA64-01339A	WINDOW-REMOCON;20H3,PC,VIOLET,	
3		HA01-030005	RESIN-PC;LEXAN 121R,VIOLET	
2		HA64-01340A	INDICATOR-LED;20H3,ACRYL,	
3		HA01-030009	RESIN;OROGLAS,VM-100 ZHN 205	
2		HA64-01337A	KNOB-CONTROL;20H3,HIPS,HB,BLK,	
3		HA01-030001	RESIN;M.BATCH,WILSON 902-BK-60,BLK	
3		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
2		HA64-01335B	CABINET-FRONT;20F4,HIPS,HB,SV-012P-II.	
3		HA02-060005	MARKING-PAINT;-,TPC180,WHITE	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA64-21031A	CABINET-FRONT;20F4,HIPS,HB,GRAY	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
2		0203-000432	TAPE-ACETATE;#156A,T0.25mm,W19mm,L30M,-	
2		HA02-010004	ADHESIVE-HM;-,12MM	
2		HA96-10139B	ASSY-SPEAKER;-,16OHM,3W,3001-001039,AA39	
3		3001-001039	SPEAKER;3W,16ohm,90dB,180Hz	
3		AA39-20505M	LEAD CONNECTOR-ASSY;,4P,SMH025-04,REC,30	
			ASSY-CABINET(COM)	
1	*	HA90-20031A	ASSY-CABINET(COM);20F4	
2	CB+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	CRT+CF	HA60-020010	SCREW-ASSY;WC,HH,+,M5,L26.5,SWRCH18A,ZPC	
2		AA65-30008A	CLAMP-CORD;PE,HB,BLK,-,-,-	
2		AA65-30018A	CLAMP-WIRE;DONG-A,NYLON-66,-,-,-,DATL-60	
2		AA65-30009A	CLAMP-FBT;ABS,V0,BLK,-,-,-	
2		HA64-01336B	CABINET-BACK;20F4,HIPS,HB,GRY,	
3		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
2		HA68-500025	LABEL-RATING;A/P 90G,T0.2,L55,W55,STANDA	
2		HA02-030005	TAPE-INK;WIDTH 55 MM	
2		HA68-500021	LABEL-QMS;-,T0.1,L135,W35,WHT,-,-	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	
2		HA63-600005	SPACER-GUM,CRT;-,NTR RUBBER,T5.0,M5,BLK,	
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT	
			ASSY-PCB,A/V SIDE	
1	*	HA95-900054	ASSY-PCB,A/V SIDE;-,20F4,KS1A	
2		HA99-200087	ASSY-PCB,A/V SIDE(ACI);-,20F4,KS1A	
3	RE01	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	RE02A	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	CE04	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
3	CE07	2202-000222	C-CERAMIC,MLC-AXIAL;3.3nF,20%,16V,Y5P,TP	
3	CE01	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	LE04	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.4MM	
3	LE01	2701-000158	INDUCTOR-AXIAL;22uH,10%,2.5x3.4mm	
3	JE01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	PCB	AA41-00208C	PCB-FRONT AV;S4/C5 MODEL,FR-1,1L,C,1.6T,	
2	JE601	3722-000143	JACK-PHONE;1P(VER),3.4mm,AG,BLK,NO	
2	JR01	3722-001282	JACK-RCA;2P(3P),3.2mm,AU,BLK,-	
2	CN702	AA39-20112E	LEAD CONNECTOR-ASSY;,9P,YBNH025-09,67096	
2		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
2		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
2		0204-000442	SOLVENT;1M-1000,C3H7OH,96,-	
2		0204-001024	FLUX;DF-98TVS,-,20%,-	
			ASSY-A/V SIDE	
1	*	AA95-00946A	ASSY-A/V SIDE;-,20F4,S15A,PAL,-,MONO	
2		HA61-00494A	HOLDER-AV;TOOL,20F4,-,-,-,-,MOLD	
3		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
3		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
2		AA64-01309K	INLAY AV;PS SHEET,21D8,T0.3,-,-,-,S15A M	
2	PCB+HO	HA60-020008	SCREW-TAPTITE;RWH,+,B,M4,L12,ZPC(YEL),SW	
2	C/F+HO	HA60-020009	SCREW-TAPTITE;TH,+,B,M4.0,L15,BLK,SWRCH1	

7-7 CB20F42ZSXXEC(CB20F42ZSXXEC and CB20F42TSXXEC)

Level	Loc. No.	Code No.	Description ; Specification	Remark
			REMOCON	
1		AA59-00104J	REMOCON;-,TM59,SIM806E,25,L/GRAY,EX,GRAY	
)				
			ASSY-PCB,MAIN(OPT)	
1	*	HA94-100775	ASSY-PCB,MAIN(OPT);CB,20H1-H3,ORION,NTTX	
2	PCB(AC	HA99-100764	ASSY-PCB,MAIN(ACI);CB,20H1-H3,ORION,KS1A	
3	R501M	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R502M	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R302	2004-004366	R-METAL(S);1.3Kohm,1%,1/2W,AA,TP,2.5x6.5	
3	R303	2008-001013	R-FUSIBLE(S);1.2ohm,5%,2W,AF,TP,3.9x10mm	
3	R421	2008-001114	R-FUSIBLE(S);1.5ohm,5%,2W,AG,TP,3.9x12mm	
3	R505	2008-001015	R-FUSIBLE(S);1.5ohm,5%,2W,AF,TP,3.9x10mm	
3	IC501	1201-001541	IC-VIDEO AMP;6107,ZSIP,9P;-,SINGLE,-,PLA	
⚠ 2	V999S	3704-001089	SOCKET-CRT;7P,22.5PI,12PI,SN,-	
⚠ 2	LR401S	AA27-00053A	COIL-LINEARLITY;-,193uH,DR10X10 C:4.35,7	
⚠ 2	CR402S	2306-001004	C-FILM,MPPF;300NF,5%,400V,TP,26X14X21MM,	
2	CR410	2303-001015	C-FILM,PPF;5.5nF,5%,1.6kV,TP,29x9.5x17,2	
⚠ 2	IC201S	AA09-00191A	IC-MOC;TDA9381PS/N2H6,SPM-802EWN,64K,DIP	
⚠ 2	T801S	AA26-00134A	TRANS-SWITCHING;,CS21S5T,160V~260V,PM2 P	
			ASSY-CRT	
1	*	HA94-500041	ASSY-CRT;A48JLL90X02(W),450MG,2.3MH,28MH	
2		AA03-00258A	CRT COLOR;A48JLL80X01,+380MG,2.3MH,28.0M	

7-8 CB20F12TSXXEC(CB20F12TSXXEC and CB14F12TSXXEC)

Level	Loc. No.	Code No.	Description ; Specification	Remark
			ASSY-PCB,MAIN(OPT)	
1	*	HA94-100776	ASSY-PCB,MAIN(OPT);CB,501F,TTX,KS	
2	PCB(AC	HA99-100751	ASSY-PCB,MAIN(ACI);CB,501F,KS1A	
3	R814	2008-001112	R-FUSIBLE(S);2.4ohm,5%,2W,AG,TP,3.9x12mm	
3	R815	2008-001112	R-FUSIBLE(S);2.4ohm,5%,2W,AG,TP,3.9x12mm	
3	R423	2004-001373	R-METAL(S);100KOHM,1%,1/2W,AA,TP,2.4X6.4	
3	R303	2003-002070	R-METAL OXIDE;1ohm,5%,2W,AF,TP,3.9x10mm	
3	R505	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
⚠ 3	CR409S	2201-002041	C-CERAMIC,DISC;0.82nF,10%,2kV,Y5P,TP,9x5	
⚠ 2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
⚠ 2	LR401S	AA27-30001B	COIL-LINEARLITY;-,195uH,QIC1010,PI0.4,4.	
2	LW01	AA27-40001N	COIL-HORIZ.WIDTH;-,90/260uH,SB-5S620,PI0	
2	CR402	2306-000195	C-FILM,MPPF;360nF,5%,400V,TP,26x19x11.5,	
			ASSY-CABINET,FRONT	
1	*	HA91-20005A	ASSY-CABINET,FRONT;20F1,SILVER	
2		AA61-60003T	SPRING-CS;-,SUS304,-,-,OD7,N5,OD7,-,-,-,	
2		HA64-25011A	KNOB-POWER;20F1,21F1,HIPS,SV-012P-II,SIL	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA64-26011A	KNOB-POWER;20F1,21F1,HIPS,HB,GRAY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
2		HA64-23011A	KNOB-CONTROL;20F1,21F1,HIPS,SV-012P-II.S	
3		HA64-24011A	KNOB-CONTROL;20F1,21F1,HIPS,HB,GRAY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
2		AA64-40450B	WINDOW-REMOCON;-,501F,-,PC,V0,VIOLET,-	
2		AA64-40451B	INDICATOR-LED;-,33.501F,-,ACRYL,-,CLR,-	
2		AA64-70127F	BADGE-BRAND;NEW,AL,-,-,L40,R800,SILVER,S	
2		AA65-30105A	CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,NTR,1	
2	SPK+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	KC+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2		HA02-010004	ADHESIVE-HM;-,12MM	
2		0203-000432	TAPE-ACETATE;#156A,T0.25mm,W19mm,L30M,-	
2		HA64-20005A	CABINET,FRONT;20F1,HIPS,HB,SV-012P-II,	
3		HA64-21005A	CABINET,FRONT;20F1,HIPS,HB,GREY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA02-060005	MARKING-PAINT;-,TPC180,WHITE	
2		HA96-00254A	ASSY-SPEAKER;-,16OHM,3W,-,3001-001039,70	
3		3001-001039	SPEAKER;3W,16ohm,90dB,180Hz	
3		AA39-20500C	LEAD CONNECTOR-ASSY;,3(2),67096-003,REC,	
			ASSY-CABINET(COM)	
1	*	HA90-20027A	ASSY-CABINET(COM); 20F1	
2	CB+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	CRT+CF	HA60-020010	SCREW-ASSY;WC,HH,+,M5,L26.5,SWRCH18A,ZPC	
2		AA65-30008A	CLAMP-CORD;PE,HB,BLK,-,-,-	
2		HA63-600005	SPACER-GUM,CRT;-,NTR RUBBER,T5.0,M5,BLK,	
2		HA64-22005A	CABINET-BACK;20F1,HIPS,HB,GRAY	
3		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
2		AA65-30009A	CLAMP-FBT;ABS,V0,BLK,-,-,-	
2		AA65-30018A	CLAMP-WIRE;DONG-A,NYLON-66,-,-,-,DATL-60	
2		HA68-500025	LABEL-RATING;A/P 90G,T0.2,L55,W55,STANDA	
2		HA02-030005	TAPE-INK;WIDTH 55 MM	
2		HA68-500021	LABEL-QMS;-,T0.1,L135,W35,WHT,-,-	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	

Level	Loc. No.	Code No.	Description ; Specification	Remark
			ASSY-PACKING	
1	*	HA90-21005A	ASSY-PACKING;20F1	
2		AA60-40006A	PIN-STAPLE;-,-,H18,33X17.8X2.4,-,AUTO	
2		AA69-30032C	BAG-SHEET;HDPE+PE FOAM,-,W1050,H950,-,-	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	
2		HA68-500026	LABEL-BOX;A/P (120G),T0.2,-,-,STANDARD	
2		HA69-200014	CUSHION-SET;-,-,-,-,C=0.02,501	
3		HA01-030006	RESIN-EPS;CHEIL SF-301V,WHT	
2		HA69-500013	PACKING-CASE;DP,CB35,-,-,-,YEL,501	
			ASSY-CRT	
1	*	HA94-50011A	ASSY-CRT;A48ECR43X,+400mG,20,90deg,	
2		AA03-00280A	CRT COLOR;A48ECR43X,+380MG,1.85MH,28.7MH	
2		AA27-20003Y	COIL-DEGAUSSING;-,20,15.2ohm,28T,L2170,E	
2		AA63-10002A	BAND-TIE;-,NYLON66 V2,-,-,L100,NTR,-,-	
2		AA98-70031A	ASSY-TBC,WIRE(P);DP,20,AA98-70014B,1P,TV	
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT	

7-9 CB20792TSXXEC(CB20792TSXXEC and CB14F12TSXXEC)

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY-PCB,MAIN(OPT)

1	*	HA94-100802	ASSY-PCB,MAIN(OPT);CB,5079,TTX,KS	
2	PCB(AC	HA99-100758	ASSY-PCB,MAIN(ACI);CB,5079,KS1A	
3	R501H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R502H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R315	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R814	2008-001112	R-FUSIBLE(S);2.4ohm,5%,2W,AG,TP,3.9x12mm	
3	R815	2008-001112	R-FUSIBLE(S);2.4ohm,5%,2W,AG,TP,3.9x12mm	
3	R423	2004-001373	R-METAL(S);100KOHM,1%,1/2W,AA,TP,2.4X6.4	
3	R303	2003-002070	R-METAL OXIDE;1ohm,5%,2W,AF,TP,3.9x10mm	
3	R505	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
⚠ 3	CR409S	2201-002041	C-CERAMIC,DISC;0.82nF,10%,2kV,Y5P,TP,9x5	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
⚠ 2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
⚠ 2	LR401S	AA27-30001B	COIL-LINEARLITY;-,195uH,QIC1010,PI0.4,4.	
2	LW01	AA27-40001N	COIL-HORIZ.WIDTH;-,90/260uH,SB-5S620,PI0	
2	CR402	2306-000195	C-FILM,MPPF;360nF,5%,400V,TP,26x19x11.5,	
2	CN703	3711-002648	CONNECTOR-HEADER;BOX,9P,1R,2.5MM,STRAIGH	

ASSY-PCB,A/V FRONT

1	*	HA95-900052	ASSY-PCB,A/V FRONT;KS1A,5079	
2	CN702	AA39-20112E	LEAD CONNECTOR-ASSY;,9P,YBNH025-09,67096	
2		HA99-200079	ASSY-PCB,A/V FRONT(ACI);79,KS1A	
3	RE04	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.4MM	
3	RE01	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	RE02	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	CE07	2202-000222	C-CERAMIC,MLC-AXIAL;3.3nF,20%,16V,Y5P,TP	
3	CE06	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
3	CE01	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	JE01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JE02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	RE05	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JE03	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	PCB	AA41-10904A	PCB-A/V FRONT;SCT13B,1L,FR-1,245x245x1.6	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
3	CE03	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5X5,TP,-	
3	LE01	2701-000158	INDUCTOR-AXIAL;22uH,10%,2.5x3.4mm	
2		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
2		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
2		0204-001024	FLUX;DF-98TVS,-,20%,-	
2		0204-000442	SOLVENT;1M-1000,C3H70H,96,-	
2	JE601	3722-000143	JACK-PHONE;1P(VER),3.4mm,AG,BLK,NO	
2	JA702	3722-000507	JACK-RCA;2P,3.6mm,-,AG	

ASSY-CABINET,FRONT

1	*	HA91-20004A	ASSY-CABINET,FRONT;2079,SILVER	
2		AA61-60003J	SPRING-CS;-,SUS304,-,-,OD6,N7,OD6,-,-,-	
2		AA64-40245A	WINDOW-REMOCON;-,20.79,-,PC,-,VIOLET,-	
2		AA64-40250A	INDICATOR-LED;-,20.79,-,ACRYL,HB,-,-	
2		AA64-70127F	BADGE-BRAND;NEW,AL,-,-,L40,R800,SILVER,S	
2		AA65-30105A	CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,NTR,1	
2		HA02-010004	ADHESIVE-HM;-,12MM	
2		HA64-23012A	KNOB-CONTROL;2079,2179,HIPS,SV-012P-II.S	
3		HA64-24012A	KNOB-CONTROL;2079,2179,HIPS,HB,GRAY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
2		HA64-25004A	KNOB-POWER;2079,2179,HIPS,SV-012P-II,SIL	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA64-26004A	KNOB-POWER;2079,2179,HIPS,HB,GRAY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
2		HA64-20004A	CABINET,FRONT;2079,HIPS,HB,SV-012P-II,	
3		HA64-21004A	CABINET,FRONT;2079,HIPS,HB,GREY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060005	MARKING-PAINT;-,TPC180,WHITE	
3		HA61-40010A	BOSS-WING;-,HIPS,HB,NTR,-,-	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA02-010005	ADHESIVE-GEL;BLACK SOLVENT	

ASSY-CABINET(COM)

1	*	HA90-20004A	ASSY-CABINET(COM); 2079	
2	CB+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	SPK+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	PA+CF	HA60-020008	SCREW-TAPTITE;RWH,+,B,M4,L12,ZPC(YEL),SW	
2	CRT+CF	HA60-020010	SCREW-ASSY;WC,HH,+,M5,L26.5,SWRCH18A,ZPC	
2		AA65-30008A	CLAMP-CORD;PE,HB,BLK,-,-,-	
2		HA64-22004A	CABINET-BACK;2079,2179,HIPS,HB,GRAY	
3		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
2		AA65-30009A	CLAMP-FBT;ABS,V0,BLK,-,-,-	
2		AA65-30018A	CLAMP-WIRE;DONG-A,NYLON-66,-,-,-,DATL-60	
2		HA68-500025	LABEL-RATING;A/P 90G,T0.2,L55,W55,STANDA	
2		HA02-030005	TAPE-INK;WIDTH 55 MM	
2		HA68-500021	LABEL-QMS;-,T0.1,L135,W35,WHT,-,-	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	

ASSY-PACKING

1	*	HA90-21004A	ASSY-PACKING;2079	
2		AA60-40006A	PIN-STAPLE;-,-,H18,33X17.8X2.4,-,AUTO	
2		HA69-200001	CUSHION-SET;DP,-,H103,L563,W206,C=0.02,5	
3		HA01-030006	RESIN-EPS;CHEIL SF-301V,WHT	
2		HA69-500006	PACKING-CASE;DP,-,-,-,-,-,5079,5379	
2		HA68-500026	LABEL-BOX;A/P (120G),T0.2,-,-,STANDARD	
2		AA69-30032C	BAG-SHEET;HDPE+PE FOAM,-,W1050,H950,-,-	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	

ASSY-CRT

1	*	HA94-50011A	ASSY-CRT;A48ECR43X,+400mG,20,90deg,	
2		AA03-00280A	CRT COLOR;A48ECR43X,+380MG,1.85MH,28.7MH	
2		AA27-20003Y	COIL-DEGAUSSING;-,20,15.2ohm,28T,L2170,E	
2		AA63-10002A	BAND-TIE;-,NYLON66 V2,-,-,L100,NTR,-,-	
2		AA98-70031A	ASSY-TBC,WIRE(P);DP,20,AA98-70014B,1P,TV	
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT	

ASSY-SPEAKER

1	*	HA96-10140A	ASSY-SPEAKER;-,16OHM3W,00003,AA320501C,R	
2		3001-000003	SPEAKER;3W,16ohm,88dB,180+-36Hz	
2		AA39-20500C	LEAD CONNECTOR-ASSY;,3(2),67096-003,REC,	

7-10 CB20H12TSXXEC(CB20H12TSXXEC and CB14F12TSXXEC)

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY-PCB,MAIN(OPT)

1	*	HA94-100774	ASSY-PCB,MAIN(OPT);CB,20H1-H3,TTX,KS1A	
2	PCB(AC	HA99-100739	ASSY-PCB,MAIN(ACI);CB,20H1-H3,KS1A	
3	R501H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R502H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R315	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R303	2003-002070	R-METAL OXIDE;1ohm,5%,2W,AF,TP,3.9x10mm	
3	J181	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R423	2004-001373	R-METAL(S);100KOHM,1%,1/2W,AA,TP,2.4X6.4	
3	R505	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
⚠ 3	CR409S	2201-002041	C-CERAMIC,DISC;0.82nF,10%,2kV,Y5P,TP,9x5	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
⚠ 2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
3		HA68-500033	LABEL-WARNING;A/P(90G),W33,H18,WHT	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
3		1204-001483	IC-VERTICAL PROCESSO;LA7840,SIP,7P,708MI	
3		AA62-00064A	HEAT SINK-PS;DP,-,-,-,AA62-00046A,-,-,-,	
3		6003-000335	SCREW-TAPTITE;RH,+,2S,M3,L8,ZPC(YEL),SL)	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	CR402S	2306-000195	C-FILM,MPPF;360nF,5%,400V,TP,26x19x11.5,	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
3		0204-000442	SOLVENT;1M-1000,C3H70H,96,-	
3		0204-001024	FLUX;DF-98TVS,-,20%,-	
⚠ 2	LR401S	AA27-30001B	COIL-LINEARLITY;-,195uH,QIC1010,PI0.4,4.	
⚠ 2	CR410S	2303-001015	C-FILM,PPF;5.5nF,5%,1.6kV,TP,29x9.5x17,2	
2	LW01	AA27-40001N	COIL-HORIZ.WIDTH;-,90/260uH,SB-5S620,PI0	
2	CN703	3711-002648	CONNECTOR-HEADER;BOX,9P,1R,2.5MM,STRAIGH	
2	CN603	3711-002643	CONNECTOR-HEADER;BOX,4P,1R,2.5mm,STRAIGH	

ASSY-CRT

1	*	HA94-50011A	ASSY-CRT;A48ECR43X,+400mG,20,90deg,	
2		AA03-00280A	CRT COLOR;A48ECR43X,+380MG,1.85MH,28.7MH	
2		AA27-20003Y	COIL-DEGAUSSING;-,20,15.2ohm,28T,L2170,E	
2		AA63-10002A	BAND-TIE;-,NYLON66 V2,-,-,L100,NTR,-,-	
2		AA98-70031A	ASSY-TBC,WIRE(P);DP,20,AA98-70014B,1P,TV	
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT	

ASSY-PCB,A/V FRONT

1	*	HA95-900053	ASSY-PCB,A/V FRONT;KS1A,(..73,..H1)	
2	CN702	AA39-20112E	LEAD CONNECTOR-ASSY;,9P,YBNH025-09,67096	
2		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
2		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
2		0204-001024	FLUX;DF-98TVS,-,20%,-	
2		0204-000442	SOLVENT;1M-1000,C3H70H,96,-	
2	JE601	3722-000143	JACK-PHONE;1P(VER),3.4mm,AG,BLK,NO	
2	JA702	3722-000506	JACK-RCA;2P,3.6MM,-,AG	
2		HA99-200080	ASSY-PCB,A/V FRONT(ACI);KS1A,(..73,..H1)	
3	RE04	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.4MM	
3	RE01	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	RE02	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	CE07	2202-000222	C-CERAMIC,MLC-AXIAL;3.3nF,20%,16V,Y5P,TP	
3	CE06	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
3	CE01	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	JE01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JE02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JE04	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	RE05	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JE03	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	PCB	AA41-10903B	PCB-A/V FRONT;S15A,1L,FR-1,245x245x1.6T,	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
3	LE01	2701-000158	INDUCTOR-AXIAL;22uH,10%,2.5x3.4m	

ASSY-PACKING

1	*	HA90-21003A	ASSY-PACKING;20H1	
2		AA60-40006A	PIN-STAPLE;-,-,H18,33X17.8X2.4,-,AUTO	
2		HA69-20517B	CUSHION-SET;CT20H1,PS,C=0.02,-,-,-,-	
3		HA01-030006	RESIN-EPS;CHEIL SF-301V,WHT	
2		HA69-00008B	PACKING-CASE;20H1,SEH,CB D-1,YEL,-,-,-,-	
2		AA69-30032C	BAG-SHEET;HDPE+PE FOAM,-,W1050,H950,-,-	
2		HA68-500026	LABEL-BOX;A/P (120G),T0.2,-,-,STANDARD	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	

ASSY-CABINET,FRONT

1	*	HA91-20003A	ASSY-CABINET,FRONT;20H1,SILVER	
2	KC+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	SPK+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2		AA61-60003T	SPRING-CS;-,SUS304,-,-,OD7,N5,OD7,-,-,-,	
2		AA64-70123B	BADGE-BRAND;-,AL,-,-,L=50,SAMSUNG,SILVER	
2		AA65-30105A	CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,NTR,1	
2		HA64-25003A	KNOB-POWER;20H1,21H1,HIPS,SV-012P-II,SIL	
3		HA64-26003A	KNOB-POWER;20H1,21H1,HIPS,HB,GRAY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060005	MARKING-PAINT;-,TPC180,WHITE	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
2		AA64-40527A	WINDOW-REMOCON;-,21H1,-,PC,-,-,-	
2		AA64-40496A	INDICATOR-LED;-,-,-,ACRYL,-,-,-	
2		HA64-23003A	KNOB-CONTROL;20H1,21H1,HIPS,SV-012P-II.S	
3		HA64-24003A	KNOB-CONTROL;20H1,21H1,HIPS,HB,GRAY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
2		HA96-10139B	ASSY-SPEAKER;-,16OHM,3W,3001-001039,AA39	
3		3001-001039	SPEAKER;3W,16ohm,90dB,180Hz	
3		AA39-20505M	LEAD CONNECTOR-ASSY;,4P,SMH025-04,REC,30	
2		HA64-20003A	CABINET,FRONT;20H1,HIPS,HB,SV-012P-II,	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA64-21003A	CABINET,FRONT;20H1,HIPS,HB,GREY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060005	MARKING-PAINT;-,TPC180,WHITE	
2		0203-000432	TAPE-ACETATE;#156A,T0.25mm,W19mm,L30M,-	
2		HA02-010004	ADHESIVE-HM;-,12MM	

ASSY-CABINET(COM)

1	*	HA90-20003A	ASSY-CABINET(COM); 20H1	
2	CB+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	PA+CF	HA60-020008	SCREW-TAPTITE;RWH,+,B,M4,L12,ZPC(YEL),SW	
2	CRT+CF	HA60-020010	SCREW-ASSY;WC,HH,+,M5,L26.5,SWRCH18A,ZPC	
2		AA65-30008A	CLAMP-CORD;PE,HB,BLK,-,-,-	
2		AA65-30018A	CLAMP-WIRE;DONG-A,NYLON-66,-,-,-,DATL-60	
2		AA65-30009A	CLAMP-FBT;ABS,V0,BLK,-,-,-	
2		HA64-22003A	CABINET-BACK;20H1,21H1,HIPS,V2,GRAY	
3		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
2		HA68-500025	LABEL-RATING;A/P 90G,T0.2,L55,W55,STANDA	
2		HA02-030005	TAPE-INK;WIDTH 55 MM	
2		HA68-500021	LABEL-QMS;-,T0.1,L135,W35,WHT,-,-	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	

7-11 CB20H32TSXXEC(CB20H32TSXXEC and CB14F12TSXXEC)

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY-PCB,MAIN(OPT)

1	*	HA94-100774	ASSY-PCB,MAIN(OPT);CB,20H1-H3,TTX,KS1A	
2	PCB(AC	HA99-100739	ASSY-PCB,MAIN(ACI);CB,20H1-H3,KS1A	
3	R601	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R501H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R502H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R315	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R303	2003-002070	R-METAL OXIDE;1ohm,5%,2W,AF,TP,3.9x10mm	
3	R421	2008-000266	R-FUSIBLE(S);1OHM,5%,2W,AF,TP,3.9X10MM	
3	J181	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R423	2004-001373	R-METAL(S);100KOHM,1%,1/2W,AA,TP,2.4X6.4	
3	R505	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
⚠ 3	CR409S	2201-002041	C-CERAMIC,DISC;0.82nF,10%,2kV,Y5P,TP,9x5	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
3	IC501	1201-001541	IC-VIDEO AMP;6107,ZSIP,9P;-,SINGLE,-,PLA	
⚠ 2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
3		HA68-500033	LABEL-WARNING;A/P(90G),W33,H18,WHT	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 3	IC802	1203-001939	IC-POSI.FIXED REG.;7632,SIP,10P;-,PLASTI	
3		1204-001483	IC-VERTICAL PROCESSO;LA7840,SIP,7P,708MI	
3		AA62-00064A	HEAT SINK-PS;DP,-,-,-,AA62-00046A,-,-,-	
3		6003-000335	SCREW-TAPTITE;RH,+,2S,M3,L8,ZPC(YEL),SL)	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	CR402S	2306-000195	C-FILM,MPPF;360nF,5%,400V,TP,26x19x11.5,	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
3		0204-000442	SOLVENT;1M-1000,C3H70H,96,-	
3		0204-001024	FLUX;DF-98TVS,-,20%,-	
⚠ 2	LR401S	AA27-30001B	COIL-LINEARLITY;-,195uH,QIC1010,PI0.4,4.	
⚠ 2	CR410S	2303-001015	C-FILM,PPF;5.5nF,5%,1.6kV,TP,29x9.5x17,2	
2	IC602	HA96-00245B	ASSY-H/S;-,SOUND,AA62-30175D,TDA8943,-	
2	LW01	AA27-40001N	COIL-HORIZ.WIDTH;-,90/260uH,SB-5S620,PI0	
2	CN703	3711-002648	CONNECTOR-HEADER;BOX,9P,1R,2.5MM,STRAIGH	
2	CN603	3711-002643	CONNECTOR-HEADER;BOX,4P,1R,2.5mm,STRAIGH	

ASSY-CRT

1	*	HA94-50011A	ASSY-CRT;A48ECR43X,+400mG,20,90deg,
2		AA03-00280A	CRT COLOR;A48ECR43X,+380MG,1.85MH,28.7MH
2		AA27-20003Y	COIL-DEGAUSSING;-,20,15.2ohm,28T,L2170,E
2		AA63-10002A	BAND-TIE;-,NYLON66 V2,-,-,L100,NTR,-,-
2		AA98-70031A	ASSY-TBC,WIRE(P);DP,20,AA98-70014B,1P,TV
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT

ASSY-PCB,A/V FRONT

1	*	HA95-900053	ASSY-PCB,A/V FRONT;KS1A,(..73,..H1)
2	CN702	AA39-20112E	LEAD CONNECTOR-ASSY;,9P,YBNH025-09,67096
2		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37
2		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB
2		0204-001024	FLUX;DF-98TVS,-,20%,-
2		0204-000442	SOLVENT;1M-1000,C3H70H,96,-
2	JE601	3722-000143	JACK-PHONE;1P(VER),3.4mm,AG,BLK,NO
2	JA702	3722-000506	JACK-RCA;2P,3.6MM,-,AG
2		HA99-200080	ASSY-PCB,A/V FRONT(ACI);KS1A,(..73,..H1)
3	RE04	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.4MM
3	RE01	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M
3	RE02	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M
3	CE07	2202-000222	C-CERAMIC,MLC-AXIAL;3.3nF,20%,16V,Y5P,TP
3	CE06	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP
3	CE01	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5
3	JE01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)
3	JE02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)
3	JE04	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)
3	RE05	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)
3	JE03	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)
3	PCB	AA41-10903B	PCB-A/V FRONT;S15A,1L,FR-1,245x245x1.6T,
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL
3	LE01	2701-000158	INDUCTOR-AXIAL;22uH,10%,2.5x3.4mm

ASSY-PACKING

1	*	HA90-800068	ASSY-PACKING;20H3,
2		HA69-00681A	CUSHION SET;20H3,CASTING,
2		HA69-00723B	PACKING-CASE;20H3,CB,D-1,BB,A1,YEL,
2		AA69-30032C	BAG-SHEET;HDPE+PE FOAM,-,W1050,H950,-,-,
1		HA91-100059	ASSY-CABINET,FRONT;20H3,SV-012P-II.
2		AA64-70010B	BADGE-BRAND;-,AL,-,-,L50,-,SILVER,SS R20
2		HA64-01338A	KNOB-POWER;20H3,HIPS,HB,BLK
3		HA01-030001	RESIN;M.BATCH,WILSON 902-BK-60,BLK
2		HA64-01339A	WINDOW-REMOCON;20H3,PC,VIOLET,
3		HA01-030005	RESIN-PC;LEXAN 121R,VIOLET
2		HA64-01340A	INDICATOR-LED;20H3,ACRYL,
3		HA01-030009	RESIN;OROGLAS,VM-100 ZHN 205
2		HA64-01337A	KNOB-CONTROL;20H3,HIPS,HB,BLK,
3		HA01-030001	RESIN;M.BATCH,WILSON 902-BK-60,BLK
2		HA64-01438A	CABINET-FRONT;20H3,HIPS,HB,SV-012P-II.
3		HA64-01438B	CABINET-FRONT;20H3,HIPS,HB,
2		0203-000432	TAPE-ACETATE;#156A,T0.25mm,W19mm,L30M,-
2		3001-000280	SPEAKER;5W,16OHM,90DB,150HZ
2		AA39-20505M	LEAD CONNECTOR-ASSY;,4P,SMH025-04,REC,30

ASSY-CABINET(COM)

1	*	HA90-200044	ASSY-CABINET(COM)SET,20H3,
2	AV+CF	HA60-020008	SCREW-TAPTITE;RWH,+,B,M4,L12,ZPC(YEL),SW
2		HA64-01439A	CABINET-BACK;20H3,HIPS,HB,GRY,
2		HA63-600005	SPACER-GUM,CRT;-,NTR RUBBER,T5.0,M5,BLK,

7-12 CB21F12TSXXEC(CB21F12TSXXEC and CB14F12TSXXEC)

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY-POWER,CORD

1	*	HA96-700003	ASSY-POWER,CORD;-,EP3/YES,H/C250MM,U.K,	
2		HA39-010001	POWER-CORD;DP,CP3,-,2.4M,BLK,AC250V,10A	
2		AA61-20284A	HOLDER;-,P-CORD,PP,VO,BLK,KE-002	
2		HB61-200001	CAP-CORD;-,PP,-,RED,CI	

ASSY-PCB,MAIN(OPT)

1	*	HA94-100808	ASSY-PCB,MAIN(OPT);CI,531F,TTX,KS	
2		HA99-100762	ASSY-PCB,MAIN(ACI);CB,531F,KS1A	
3	R501H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R502H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R315	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R814	2008-001112	R-FUSIBLE(S);2.4ohm,5%,2W,AG,TP,3.9x12mm	
3	R815	2008-001112	R-FUSIBLE(S);2.4ohm,5%,2W,AG,TP,3.9x12mm	
3	R423	2004-001373	R-METAL(S);100KOHM,1%,1/2W,AA,TP,2.4X6.4	
3	R303	2008-001133	R-FUSIBLE(S);0.75ohm,5%,2W,AF,TP,3.9x10m	
3	R505	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
3	R306	2004-001390	R-METAL(S);1KOHM,2%,1/2W,AA,TP,2.4X6.4MM	
⚠ 2	SF101S	2904-001063	FILTER-SAW AV;38.9MHz,SIP5K,TP,17dB,PAL-	
⚠ 2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
2	LW01	AA27-40001M	COIL-HORIZ.WIDTH;-,180/480uH,SB-5S6202.6	
⚠ 2	CR402S	2306-000350	C-FILM,MPPF;270nF,5%,400V,BK,26x18.5x10,	
⚠ 2	LR401S	AA27-30001B	COIL-LINEARLITY;-,195uH,QIC1010,PI0.4,4.	

ASSY-CRT

1	*	HA94-50012A	ASSY-CRT;A51EER31X,+400MG,-,-,-,21	
2		AA03-00279A	CRT COLOR;A51EER33X,+380MG,2.07MH,21.0MH	
2		AA27-20003Z	COIL-DEGAUSSING;-,21,13.5ohm,25T,L2380,E	
2		AA98-70030A	ASSY-TBC,WIRE(P);DP,21,AA98-70014C,1P,TV	
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT	

ASSY-ACCESSORY

1	*	HA94-01601D	ASSY-ACCESSORY;KS1A,XEU	
2		HA68-100111	MANUAL-USERS;KS1A,W/P,100(G),ENG	
2		HA68-00336B	CARD-WARRANTY;A/P100(G),A5,NEW VERSION,I	
2		4301-000120	BATTERY-MN;1.5V,-,AA,14.5X50MM,-	
2		HA02-030003	TAPE-ACETATE;-,T00.1,W20,L200MM	
2		HA69-00276A	VINYL-BAG;HDPE,T0.025,L400,W240,-,W/O LO	

ASSY-PACKING

1	*	HA90-21011A	ASSY-PACKING;21F1	
2		AA60-40006A	PIN-STAPLE;-,-,H18,33X17.8X2.4,-,AUTO	
2		HA69-200015	CUSHION-SET;-,-,-,-,C=0.02,531	
3		HA01-030006	RESIN-EPS;CHEIL SF-301V,WHT	
2		HA69-500014	PACKING-CASE;DP,CB35,-,-,-,YEL,531	
2		HA68-500026	LABEL-BOX;A/P (120G),T0.2,-,-,STANDARD	
2		AA69-30032C	BAG-SHEET;HDPE+PE FOAM,-,W1050,H950,-,-	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	

ASSY-CABINET,FRONT

1	*	HA91-20011A	ASSY-CABINET,FRONT;21F1,SILVER	
2		AA61-60003T	SPRING-CS;-,SUS304,-,-,OD7,N5,OD7,-,-,-,	
2		HA64-25011A	KNOB-POWER;20F1,21F1,HIPS,SV-012P-II,SIL	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA64-26011A	KNOB-POWER;20F1,21F1,HIPS,HB,GRAY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
2		HA64-23011A	KNOB-CONTROL;20F1,21F1,HIPS,SV-012P-II.S	
3		HA64-24011A	KNOB-CONTROL;20F1,21F1,HIPS,HB,GRAY	
2		0203-000432	TAPE-ACETATE;#156A,T0.25mm,W19mm,L30M,-	
2		HA64-20011A	CABINET,FRONT;21F1,HIPS,HB,SV-012P-II,	
3		HA64-21011A	CABINET,FRONT;21F1,HIPS,HB,GREY	
2		HA96-00254A	ASSY-SPEAKER;-,16OHM,3W,-,3001-001039,70	
3		3001-001039	SPEAKER;3W,16ohm,90dB,180Hz	
3		AA39-20500C	LEAD CONNECTOR-ASSY;,3(2),67096-003,REC,	

ASSY-CABINET(COM)

1	*	HA90-20011A	ASSY-CABINET(COM); 21F1	
2	CB+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	CRT+CF	HA60-020010	SCREW-ASSY;WC,HH,+,M5,L26.5,SWRCH18A,ZPC	
2		AA65-30008A	CLAMP-CORD;PE,HB,BLK,-,-,-	
2		HA64-22011A	CABINET-BACK;21F1,HIPS,HB,GRAY	
3		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
2		AA65-30018A	CLAMP-WIRE;DONG-A,NYLON-66,-,-,-,DATL-60	
2		AA65-30009A	CLAMP-FBT;ABS,V0,BLK,-,-,-	
2		HA68-500025	LABEL-RATING;A/P 90G,T0.2,L55,W55,STANDA	
2		HA02-030005	TAPE-INK;WIDTH 55 MM	
2		HA68-500021	LABEL-QMS;-,T0.1,L135,W35,WHT,-,-	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	
2		HA63-600004	SPACER-GUM,CRT;-,NTR RUBBER,T2.5,M5,BLK,	

7-13 CB21H12TSXXEC(CB21H12TSXXEC and CB14F12TSXXEC)

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY-PCB,MAIN(OPT)

1	*	HA94-100786	ASSY-PCB,MAIN(OPT);CB,21H1,TTX,KS1A	
2	PCB(AC	HA99-100744	ASSY-PCB,MAIN(ACI);CB,21H1,KS1A	
3	R501H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R502H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R315	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R303	2008-001133	R-FUSIBLE(S);0.75ohm,5%,2W,AF,TP,3.9x10m	
3	R423	2004-001373	R-METAL(S);100KOHM,1%,1/2W,AA,TP,2.4X6.4	
3	C105	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
3	J181	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R505	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
3	R306	2004-001390	R-METAL(S);1KOHM,2%,1/2W,AA,TP,2.4X6.4MM	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
⚠ 2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
3		HA68-500033	LABEL-WARNING;A/P(90G),W33,H18,WHT	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
3		1204-001483	IC-VERTICAL PROCESSO;LA7840,SIP,7P,708MI	
3		AA62-00064A	HEAT SINK-PS;DP,-,-,-,AA62-00046A,-,-,-,	
3		6003-000335	SCREW-TAPTITE;RH,+,2S,M3,L8,ZPC(YEL),SL)	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
3		0204-000442	SOLVENT,1M-1000,C3H70H,96,-	
3		0204-001024	FLUX;DF-98TVS,-,20%,-	
⚠ 2	LR401S	AA27-30001B	COIL-LINEARLITY;-,195uH,QIC1010,PI0.4,4.	
⚠ 2	CR410S	2303-001015	C-FILM,PPF;5.5nF,5%,1.6kV,TP,29x9.5x17,2	
2	CN703	3711-002648	CONNECTOR-HEADER;BOX,9P,1R,2.5MM,STRAIGH	
2	CN603	3711-002643	CONNECTOR-HEADER;BOX,4P,1R,2.5mm,STRAIGH	
2	LW01	AA27-40001M	COIL-HORIZ.WIDTH;-,180/480uH,SB-5S6202.6	

ASSY-CRT

1	*	HA94-50012A	ASSY-CRT;A51EER31X,+400MG,-,-,-,21
2		AA03-00279A	CRT COLOR;A51EER33X,+380MG,2.07MH,21.0MH
2		AA27-20003Z	COIL-DEGAUSSING;-,21,13.5ohm,25T,L2380,E
2		AA63-10002A	BAND-TIE;-,NYLON66 V2,-,-,L100,NTR,-,-
2		AA98-70030A	ASSY-TBC,WIRE(P);DP,21,AA98-70014C,1P,TV
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT

ASSY-PCB,A/V FRONT

1	*	HA95-900053	ASSY-PCB,A/V FRONT;KS1A,(..73,..H1)
2	CN702	AA39-20112E	LEAD CONNECTOR-ASSY;,9P,YBNH025-09,67096
2		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37
2		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB
2		0204-001024	FLUX;DF-98TVS,-,20%,-
2		0204-000442	SOLVENT,1M-1000,C3H70H,96,-
2	JE601	3722-000143	JACK-PHONE;1P(VER),3.4mm,AG,BLK,NO
2	JA702	3722-000506	JACK-RCA;2P,3.6MM,-,AG
2		HA99-200080	ASSY-PCB,A/V FRONT(ACI);KS1A,(..73,..H1)
3	RE04	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.4MM
3	RE01	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M
3	RE02	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M
3	CE07	2202-000222	C-CERAMIC,MLC-AXIAL;3.3nF,20%,16V,Y5P,TP
3	CE06	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP
3	CE01	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5
3	JE01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)
3	JE02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)
3	JE04	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)
3	RE05	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)
3	JE03	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)
3	PCB	AA41-10903B	PCB-A/V FRONT;S15A,1L,FR-1,245x245x1.6T,
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL
3	LE01	2701-000158	INDUCTOR-AXIAL;22uH,10%,2.5x3.4mm

ASSY-PACKING

1	*	HA90-21008A	ASSY-PACKING;21H1
2		HA69-20518B	CUSHION-SET;CT21H1,PS,C=0.02,-,-,-,-
2		HA69-00009B	PACKING-CASE;21H1,SEH,CB D-1,YEL,-,-,-,-
2		AA69-30032C	BAG-SHEET;HDPE+PE FOAM,-,W1050,H950,-,-

ASSY-CABINET,FRONT

1	*	HA91-20008A	ASSY-CABINET,FRONT;21H1,SILVER
2		AA64-70123B	BADGE-BRAND;-,AL,-,-,L=50,SAMSUNG,SILVER
2		HA64-25003A	KNOB-POWER;20H1,21H1,HIPS,SV-012P-II,SIL
3		HA64-26003A	KNOB-POWER;20H1,21H1,HIPS,HB,GRAY
2		AA64-40527A	WINDOW-REMOCON;-,21H1,-,PC,-,-,-
2		AA64-40496A	INDICATOR-LED;-,-,-,ACRYL,-,-,-
2		HA96-10139B	ASSY-SPEAKER;-,16OHM,3W,3001-001039,AA39
3		3001-001039	SPEAKER;3W,16ohm,90dB,180Hz
3		AA39-20505M	LEAD CONNECTOR-ASSY;,4P,SMH025-04,REC,30
2		HA64-23003A	KNOB-CONTROL;20H1,21H1,HIPS,SV-012P-II.S
3		HA64-24003A	KNOB-CONTROL;20H1,21H1,HIPS,HB,GRAY
2		HA64-20008A	CABINET,FRONT;21H1,HIPS,HB,SV-012P-II,
3		HA64-21008A	CABINET,FRONT;21H1,HIPS,HB,GREY
2		0203-000432	TAPE-ACETATE;#156A,T0.25mm,W19mm,L30M,-

ASSY-CABINET(COM)

1	*	HA90-20008A	ASSY-CABINET(COM); 21H1
2	PA+CF	HA60-020008	SCREW-TAPTITE;RWH,+,B,M4,L12,ZPC(YEL),SW
2		HA64-22003A	CABINET-BACK;20H1,21H1,HIPS,V2,GRAY

7-14 CF14Y52ZSXXEF

ASSY-PCB,MAIN(OPT)

Level	Loc. No.	Code No.	Description ; Specification	Remark
1	*	HA94-100779	ASSY-PCB,MAIN(OPT);CF,14Y5,ORION,NTTX,KS	
2	PCB(AC	HA99-100740	ASSY-PCB,MAIN(ACI);CF,14Y5,ORION,KS1A	
3	D201	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 3	D811	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
3	D102	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 3	D801S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
⚠ 3	D802S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
⚠ 3	D803S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
⚠ 3	D804S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
3	D501	0402-000254	DIODE-RECTIFIER;RGP10J,600V,1A,DO-41,TP	
⚠ 3	D803	0402-000254	DIODE-RECTIFIER;RGP10J,600V,1A,DO-41,TP	
3	D301	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D304	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 3	D401	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D502	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D503	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D504	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 3	D812	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D302	0402-001352	DIODE-RECTIFIER;GUF15G-20A,400V,1.5A,DO-	
3	DZ402	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ807	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ810	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ901	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ101	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
3	DZ303	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
3	DZ803	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
3	DZ201	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ204	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ205	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ207	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ501	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ502	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ503	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ504	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ704	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ808	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ306	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ307	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ701	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ702	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ703	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ801	0403-001140	DIODE-ZENER;RD10ESAB-T4,10V,9.19-10.30V,	
3	DZ302	0403-001221	DIODE-ZENER;UZ39BSB,35.36-37.19V,500MW,D	
3	DZ806	0403-001317	DIODE-ZENER;MTZJ3.0B,3.01-3.22V,500mW,DO	
3	DZ802	0403-001318	DIODE-ZENER;MTZJ4.3B,4.17-4.43V,500mW,DO	
3	DZ203	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
3	DZ805	0403-001327	DIODE-ZENER;MTZJ18A,16.22-17.06V,500mW,D	
3	DZ301	0403-001328	DIODE-ZENER;MTZJ22A,20.15-21.20V,500mW,D	
3	DZ305	0403-001328	DIODE-ZENER;MTZJ22A,20.15-21.20V,500mW,D	
3	Q201	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400MW,TO-92,T	
3	Q901	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400MW,TO-92,T	
3	Q402	0501-000369	TR-SMALL SIGNAL;KSC2331-Y,NPN,1W,TO-92L,	
3	Q202	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q205	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q701	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q903	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q905	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q704	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
⚠ 3	VX801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
3	R207	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R218	2001-000008	R-CARBON;15KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R602	2001-000008	R-CARBON;15KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R205	2001-000011	R-CARBON;75Kohm,5%,1/8W,AA,TP,1.8x3.2mm	
3	R301	2001-000016	R-CARBON(S);1OHM,5%,1/2W,AA,TP,2.4x6.4MM	
3	J125	2001-000016	R-CARBON(S);1OHM,5%,1/2W,AA,TP,2.4x6.4MM	
3	R843	2001-000019	R-CARBON(S);10OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	R618	2001-000019	R-CARBON(S);10OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	R409	2001-000022	R-CARBON(S);33OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	R823	2001-000037	R-CARBON(S);33OOHM,5%,1/2W,AA,TP,2.4X6.4	
3	R211	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R215	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R223	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R501	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R502	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R506	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R510	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R511	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R512	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R909	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R911	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R912	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R913	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R914	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	J137	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R213	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R718	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R933	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R934	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R224	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R828	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R910	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R920	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R922	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R921	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R919	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R709	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R230	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R225	2001-001035	R-CARBON;91ohm,5%,1/8W,AA,TP,1.8x3.2mm	
3	R918	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R926	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R210	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R723	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R721	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R916	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R917	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R220	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R907	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R908	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R214	2001-000490	R-CARBON;200OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R206	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R829	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R929	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R208	2001-000591	R-CARBON;3.3KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R108	2001-000591	R-CARBON;3.3KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R202	2001-000689	R-CARBON;390KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R925	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R841	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R227	2001-000739	R-CARBON;4.7MOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R228	2001-000739	R-CARBON;4.7MOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R109	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R724	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R725	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R726	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R727	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R209	2001-000793	R-CARBON;47OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R203	2001-000857	R-CARBON;560OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R204	2001-000857	R-CARBON;560OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R713	2001-000857	R-CARBON;560OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R715	2001-000857	R-CARBON;560OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R110	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R722	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R222	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R702	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R719	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R720	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R408	2001-001037	R-CARBON(S);0.39OHM,5%,1/2W,AA,TP,2.4X6.	
3	R504	2001-001062	R-CARBON(S);10MOHM,5%,1/2W,AA,TP,2.4X6.4	
3	R414	2001-001078	R-CARBON(S);15KOHM,5%,1/2W,AA,TP,2.4X6.4	
3	R806	2001-001108	R-CARBON(S);22KOHM,5%,1/2W,AA,TP,2.4X6.4	
3	R411	2001-001114	R-CARBON(S);270OHM,5%,1/2W,AA,TP,2.4X6.4	

Level	Loc. No.	Code No.	Description ; Specification	Remark
3	R809	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
3	R810	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
3	R501M	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R502M	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R503	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
⚠ 3	RX801S	2002-001011	R-COMPOSITION;3.3MOHM,10%,1/2W,AA,TP,3.7	
⚠ 3	RY801S	2002-001012	R-COMPOSITION;8.2MOHM,10%,1/2W,AA,TP,3.7	
3	R827	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R316	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R403	2003-000784	R-METAL OXIDE(S);7.5KOHM,5%,2W,AF,TP,4X1	
3	R834	2003-001040	R-METAL OXIDE(S);47Kohm,5%,2W,AF,TP,3.9x	
3	R801	2003-002171	R-METAL OXIDE(S);150ohm,5%,2W,AG,TP,3.9x	
3	R402	2003-002178	R-METAL OXIDE(S);1Kohm,5%,2W,AG,TP,3.9x1	
3	R407	2003-002209	R-METAL OXIDE(S);47Kohm,5%,2W,AG,TP,3.9X	
3	R219	2004-001914	R-METAL;39KOHM,2%,1/8W,AA,TP,1.8X3.5MM	
3	R817	2004-004089	R-METAL;123KOHM,1%,1/2W,AA,TP,2.5X6.5M	
3	R423	2004-004089	R-METAL;123KOHM,1%,1/2W,AA,TP,2.5X6.5M	
3	R304	2008-000253	R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP,3.9x10m	
3	R305	2008-000253	R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP,3.9x10m	
3	R825	2008-000266	R-FUSIBLE(S);10HM,5%,2W,AF,TP,3.9X10MM	
3	R824	2008-000294	R-FUSIBLE(S);33ohm,5%,2W,AF,TP,3.9x10mm	
3	R420	2008-001110	R-FUSIBLE(S);68ohm,5%,2W,AG,TP,3.9X12mm	
3	R814	2008-001086	R-FUSIBLE(S);3.3ohm,5%,2W,AG,TP,3.9x12mm	
3	R815	2008-001086	R-FUSIBLE(S);3.3ohm,5%,2W,AG,TP,3.9x12mm	
3	C904	2201-000180	C-CERAMIC,DISC;10NF,10%,50V,Y5V,TP,6.5*3	
3	C501	2201-000192	C-CERAMIC,DISC;0.01nF,0.25pF,500V,NP0,TP	
3	C302	2201-000259	C-CERAMIC,DISC;0.18nF,10%,500V,Y5P,TP5.	
3	C303	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
3	C305	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
3	C908	2201-000872	C-CERAMIC,DISC;82pF,5%,50V,CH,8x5mm,5mm,	
3	C909	2201-000872	C-CERAMIC,DISC;82pF,5%,50V,CH,8x5mm,5mm,	
3	C408	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP5.	
⚠ 3	CR404S	2201-000639	C-CERAMIC,DISC;0.68nF,10%,2kV,Y5P,TP,9x5	
3	C811	2201-000991	C-CERAMIC,DISC;0.56nF,10%,2kV,Y5P,TP,7.5	
3	C814	2201-000991	C-CERAMIC,DISC;0.56nF,10%,2kV,Y5P,TP,7.5	
3	C503	2201-000723	C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5	
3	C703	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
3	C704	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
3	C106	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
3	C111	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
3	C105	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
3	C223	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3	
3	C224	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3	
3	C906	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3	
3	C505	2202-000825	C-CERAMIC,MLC-AXIAL;680pF,10%,50V,Y5P,TP	
3	C226	2202-000829	C-CERAMIC,MLC-AXIAL;820pF,10%,50V,Y5P,3.	
3	C707	2301-000204	C-FILM,PEF;2.7nF,5%,50V,TP,7.4x3.9x13mm,	
3	C502	2301-000213	C-FILM,PEF;220nF,5%,250V,TP,21.5x11,7.5	
3	C109	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm	
3	C804	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm	
3	C805	2301-000235	C-FILM,PEF;3.9nF,5%,50V,TP,6.5x3.0x5.5mm	
3	C309	2301-000254	C-FILM,PEF;39nF,5%,50V,TP,7.5x3.5x6.5mm,	
3	C606	2301-000111	C-FILM,PEF;1.8nF,5%,50V,TP,6.5x3.0x5.5mm	
3	C217	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
3	C234	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
3	C407	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
3	C227	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
3	C248	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
3	C420	2301-001065	C-FILM,MPPF;47nF,5%,630V,TP,19x15.5x7,7.	
3	C301	2305-000285	C-FILM,MPEF;220nF,5%,100V,TP,20x18x11.5	
3	C215	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
3	C216	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
3	C233	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
3	C611	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
3	C613	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
⚠ 3	CR405S	2305-000382	C-FILM,MPEF;4.7NF,5%,400V,TP,-,5MM	
3	C103	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C208	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C210	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C230	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C803	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C819	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C913	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C218	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C204	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C205	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C231	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C618	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C225	2309-000138	C-FILM,PE-PPF;100nF,5%,50V,TP,20x16x8.5,	
3	C812	2401-000262	C-AL;100uF,20%,160V,HR,TP,16x25,7.5	
3	C817	2401-000302	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
3	C821	2401-000302	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
3	C823	2401-000302	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
3	C307	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
3	C308	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
3	C506	2401-000430	C-AL;10UF,20%,250V,GP,TP,10X16MM,5M	
3	C820	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	C612	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	C604	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	C219	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
3	C212	2401-000660	C-AL;2.2uF,20%,50V,GP,TP,5x11,5	
3	C221	2401-000660	C-AL;2.2uF,20%,50V,GP,TP,5x11,5	
3	C605	2401-000660	C-AL;2.2uF,20%,50V,GP,TP,5x11,5	
3	C222	2401-000758	C-AL;220NF,20%,50V,GP,TP,5X11MM,5MM	
3	C827	2401-000927	C-AL;22UF,20%,250V,GP,TP,13X20MM,5M	
3	C101	2401-001101	C-AL;330uF,20%,16V,GP,TP,8x11.5,5	
3	C802	2401-001192	C-AL;33uF,20%,50V,GP,TP,6.3x11,5	
3	C504	2401-001232	C-AL;4.7uF,20%,250V,GP,TP,10x12.5,5	
3	C209	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C213	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C229	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C903	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C910	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C110	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C705	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
3	C706	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
3	C710	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
3	C711	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
3	C601	2401-001998	C-AL;1000UF,20%,25V,GP,TP,10X20,5MM	
3	C206	2401-002235	C-AL;10UF,20%,16V,GP,TP,5X11MM,5MM	
3	C220	2401-002235	C-AL;10UF,20%,16V,GP,TP,5X11MM,5MM	
3	C709	2401-002235	C-AL;10UF,20%,16V,GP,TP,5X11MM,5MM	
3	C304	2401-002288	C-AL;470uF,20%,25V,WT,TP,10x20,5	
3	C306	2401-002288	C-AL;470uF,20%,25V,WT,TP,10x20,5	
3	C813	2401-002290	C-AL;47uF,20%,160V,GP,TP,13x20,5	
3	C406	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
3	C214	2401-003102	C-AL;100uF,20%,10V,GP,TP,5x11,5	
3	L103	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.4MM	
3	L202	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.4MM	
3	L301	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4MM	
3	L302	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4MM	
3	L404	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4MM	
3	L903	2701-000158	INDUCTOR-AXIAL;22uH,10%,2.5x3.4mm	
3	L102	2701-000159	INDUCTOR-AXIAL;22UH,10%,4.2X9.8MM	
3	L201	2701-000159	INDUCTOR-AXIAL;22UH,10%,4.2X9.8MM	
3	L205	2701-000159	INDUCTOR-AXIAL;22UH,10%,4.2X9.8MM	
3	L405	2701-000159	INDUCTOR-AXIAL;22UH,10%,4.2X9.8MM	
3	L104	2701-000168	INDUCTOR-AXIAL;3.3 UH 5% 2.5X3.4 MM	
3	L204	2701-000168	INDUCTOR-AXIAL;3.3 UH 5% 2.5X3.4 MM	
3	L902	2701-000180	INDUCTOR-AXIAL;33UH,5%,2.5X3.4MM	
3	L904	2701-000180	INDUCTOR-AXIAL;33UH,5%,2.5X3.4MM	
3	L702	2701-000184	INDUCTOR-AXIAL;4.7UH,10%,2.5X3.4MM	
3	L703	2701-000184	INDUCTOR-AXIAL;4.7UH,10%,2.5X3.4MM	
3	L704	2701-000184	INDUCTOR-AXIAL;4.7UH,10%,2.5X3.4MM	
3	L706	2701-000184	INDUCTOR-AXIAL;4.7UH,10%,2.5X3.4MM	
3	X901	2801-003937	CRYSTAL-UNIT;12MHz,25ppm,28-AAM,30pF,30o	
3	L806	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5X5,TP,-	
3	L808	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5X5,TP,-	
3	L403	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5X5,TP,-	
3	Z202	2903-001040	FILTER-CERAMIC;TR,5.5/6.0/6.5MHz,-,1dB,-	
3	L802	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
3	L803	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
3	J910	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
3	F801A	3602-000114	FUSE-HOLDER;-,-,30MOHM	
3	F801B	3602-000114	FUSE-HOLDER;-,-,30MOHM	
3	C107	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	C507	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	C508	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	D202	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J102	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J103	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J104	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J106	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J107	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	

Level	Loc. No.	Code No.	Description ; Specification	Remark
3	J108	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J110	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J111	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J113	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J114	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J117	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J120	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J121	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J122	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J124	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J126	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J127	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J128	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J129	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J131	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J132	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J133	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J134	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J135	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J136	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J138	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J139	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J140	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J142	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J143	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J145	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J146	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J147	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J148	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J150	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J151	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J152	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J154	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J155	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J156	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J157	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J158	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J159	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J160	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J163	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J167	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J168	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J170	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J171	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J173	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J174	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J175	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J176	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J182	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J185	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J186	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J187	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J189	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J190	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J192	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J193	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J195	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J196	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J198	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J401	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J803	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J807	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J812	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J902	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J913	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
⚠ 3	NT801S	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R309	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
⚠ 3	R422S	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R507	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R508	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R509	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R717	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J162	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J105	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J112	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J153	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	

Level	Loc. No.	Code No.	Description ; Specification	Remark
3	J183	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J204	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J209	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J177	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J211	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J212	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J199	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J184	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	C912	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	L910	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J801	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J802	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J169	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J200	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
⚠ 3	D802	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R805	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R850	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R701	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R229	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J179	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J180	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J601	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J603	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J814	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R101	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R102	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R708	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J207	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JK04	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	EY401	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY402	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY405	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY406	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY407	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY408	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY409	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY410	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY411	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY412	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY414	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY415	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY416	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY417	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY419	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY420	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY421	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY422	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY423	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY501	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY802	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY803	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY807	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY808	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY809	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY810	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY813	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY818	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY819	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY821	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY822	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY825	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY827	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY828	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY829	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY850	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY851	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY852	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY853	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY860	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY861	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY824	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY823	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY833	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY801	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY403	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY404	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	

Level	Loc. No.	Code No.	Description ; Specification	Remark
3	EY101	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY830	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EL301	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL302	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL403	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL407	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL408	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL501	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL502	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL801	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL802	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL804	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL404	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL603	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL604	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	GT101	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT301	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT302	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT401	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT402	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT502	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT801	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT802	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT803	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT804	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT805	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT806	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT501	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT807	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	R424	2004-001402	R-METAL(S);6.8KOHM,1%,1/2W,AA,TP,2.4X6.4	
⚠ 3	FD801S	3601-001163	FUSE-AXIAL LEAD;125V,7A,-,EPOXY,2.4X7.1M	
⚠ 3	D807	0402-000493	DIODE-RECTIFIER;1R5GU41,400V,1.5A,DO-15L	
3	D303	0402-001321	DIODE-RECTIFIER;1A4G,400,1A,R-1,TP	
3	D809	0402-001321	DIODE-RECTIFIER;1A4G,400,1A,R-1,TP	
3	C115	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
3	C211	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
3	C911	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
3	C822	2401-000711	C-AL;2200uF,20%,25V,GP,TP,16x25,7.5	
3	C806	2301-001435	C-FILM,PPF;1.5nF,5%,1.2kV,TP,15x8x12.5mm	
3	C207	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
3	C901	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
3	HIC01	AA13-20004W	IC-HYBRID;-,PAP103T,SIP,6P,PRE-AMP,TP	
3	RW701	2011-001133	R-NETWORK;33K/24K/75x3,5%,1/8W,X,SIP,6P,	
3	R421	2008-001114	R-FUSIBLE(S);1.5ohm,5%,2W,AG,TP,3.9x12mm	
3	PCB	AA41-00131G	PCB-MAIN;G,KS1A,FR-1,1L,C,1.6T,245	
3	C702	2202-000210	C-CERAMIC,MLC-AXIAL;270PF,10%,50V,Y5P,TP	
⚠ 3	FP801S	3601-000281	FUSE-CARTRIDGE;250V,4A,TIME-LAG,GLASS,5.	
3	L101	2701-000171	INDUCTOR-AXIAL;330NH,10%,2.5X3.4MM	
3	Z203	2903-000181	FILTER-CERAMIC;TR,5.5MHz,-,-,-,TP,TPS5.5	
3	J101	2001-000613	R-CARBON;3.9KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	L807	2701-001030	INDUCTOR-AXIAL;43uH,10%,5x14mm	
3	L804	2701-001030	INDUCTOR-AXIAL;43uH,10%,5x14mm	
3	C403	2401-000560	C-AL;1uF,20%,160V,GP,TP,6.3x11,5	
3	C615	2202-000253	C-CERAMIC,MLC-AXIAL;4.7nF,20%,16V,Y5R,TP	
3	R306	2004-004969	R-METAL(S);1.1Kohm,1%,1/2W,AA,TP,2.4x6.4	
3	R303	2008-001013	R-FUSIBLE(S);1.2ohm,5%,2W,AF,TP,3.9x10mm	
3	R406	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	R505	2008-000254	R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP,3.9x10m	
3	R302	2004-001369	R-METAL(S);1.2Kohm,1%,1/2W,AA,TP,2.4x6.4	
⚠ 3	D804	0401-000006	DIODE-SWITCHING BAV21,250V,250mA,DO-35,T	
⚠ 3	D805	0402-001443	DIODE-RECTIFIER;EGP20K,800V,1.5A,DO-204A	
3	R808	2001-001138	R-CARBON(S);390OHM,5%,1/2W,AA,TP,2.4X6.4	
3	R831	2001-001088	R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4M	
3	R405	2001-001116	R-CARBON(S);27OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	C203	2401-002462	C-AL;33uF,20%,16V,GP,TP,5x11,5	
3	R811	2003-002239	R-METAL OXIDE(S);100KOHM,5%,2W,AF,TP,3.9	
3	R812	2003-002239	R-METAL OXIDE(S);100KOHM,5%,2W,AF,TP,3.9	
3	R413	2003-000532	R-METAL OXIDE(S);18ohm,5%,2W,AF,TP,4x12m	
3	R107	2001-000331	R-CARBON;12KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R840	2001-001122	R-CARBON(S);3.9KOHM,5%,1/2W,AA,TP,2.4X6.	
3	C818	2401-003028	C-AL;100uF,20%,25V,WT,TP,6.3x11,5	
3	R728	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R923	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	C603	2301-000247	C-FILM,PEF;33nF,5%,50V,TP,8.1x4.5x13mm,5	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
3	C102	2202-000279	C-CERAMIC,MLC-AXIAL;47pF,5%,50V,SL,TP,3.	
3	R601	2001-000812	R-CARBON;5.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	DZ401	0403-001319	DIODE-ZENER;MTZJ4.7C,4.68-4.93V,500mW,DO	
3	DZ906	0403-001319	DIODE-ZENER;MTZJ4.7C,4.68-4.93V,500mW,DO	
3	DZ907	0403-001319	DIODE-ZENER;MTZJ4.7C,4.68-4.93V,500mW,DO	
3	DZ908	0403-001319	DIODE-ZENER;MTZJ4.7C,4.68-4.93V,500mW,DO	
⚠ 2	NT802S	1404-001045	THERMISTOR-NTC;4.7OHM,15%,2900K,35.0MW,T	
⚠ 2	P803S	1404-001156	THERMISTOR-PTC;9OHM,+30%/-20%,220VRMS,27	
⚠ 2	CX801S	2306-000318	C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm	
⚠ 2	SF101S	2904-001070	FILTER-SAW AV;38.9MHz,SIP5K,TP,14.5dB,PA	
⚠ 2	T401	AA26-50001B	TRANS-HORIZ.DRIVE;-,-,-,7.1mH,-,-,102uH,	
⚠ 2	LX801S	AA29-30001D	FILTER-LINE NOISE;SQ1913,-,6.0MH,0.8A,-	
⚠ 2	TU01S	AA40-00076A	TUNER;TECC0949PG35A(S),PAL,181CH,38.9MHZ	
2	IC501	HA96-50311A	ASSY-H/S;-,VIDEO,AA62-30175D,TDA6107Q,-	
3	IC501	1201-001541	IC-VIDEO AMP;6107,ZSIP,9P,-,SINGLE,-,PLA	
3	SCR501	HA60-020004	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YE),SWR	
3	H/S501	AA62-30175D	HEAT SINK-PS;-,SECC,T1.0,-,33X15X30 FT-2	
⚠ 2	V999S	3704-001089	SOCKET-CRT;7P,22.5PI,12PI,SN,-	
⚠ 2	IC801S	HA96-00242A	ASSY-H/S;-,-,AA62-30186B,KA5Q0765R,-	
⚠ 3	IC801	1203-001932	IC-PWM CONTROLLER;5Q0765,TO-220F,5P,185M	
3	SCR801	HA60-020007	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YELYEL)	
3	H/S801	AA62-30186B	HEAT SINK-ES;-,-,-,SILVER,171J + COVER-H	
3		HA68-500033	LABEL-WARNING;A/P(90G),W33,H18,WHT	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	IC802	HA96-00245A	ASSY-H/S;-,POWER,AA62-00055A,KA7632,-	
⚠ 3	IC802	1203-001939	IC-POSI.FIXED REG.;7632,SIP,10P,-,PLASTI	
3	H/S802	AA62-00055A	HEAT SINK-PS;-,-,T1.0,-,35*15*25,D1,-,-,	
3	SCR802	HA60-020004	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YE),SWR	
2	IC902	1103-001106	IC-EEPROM;C81DC,1028x8Bit,DIP,8P,300MIL,	
2	Q401	0502-001160	TR-POWER;2SD2499,NPN,50000mW,TO-3P,BK,8-	
2	JS701	3722-000183	JACK-SCART;21P,4mm,SN,BLK,NO	
2	TOP	AA39-20010D	LEAD CONNECTOR-ASSY;,1P,YFH800-01,S,400,	
2	TOP	AA39-20010D	LEAD CONNECTOR-ASSY;,1P,YFH800-01,S,400,	
2	CN501	AA39-20620C	LEAD-CONNECTOR,ASSY;,9P,YBNH250-09,S,500	
2	IC301	HA96-00244A	ASSY-H/S;-,-,AA62-00046A,LA7840,-	
3		1204-001483	IC-VERTICAL PROCESSO;LA7840,SIP,7P,708MI	
3		AA62-00064A	HEAT SINK-PS;DP,-,-,-,AA62-00046A,-,-,-,	
3		6003-000335	SCREW-TAPTITE;RH,+,2S,M3,L8,ZPC(YEL),SL)	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	C801	2401-002219	C-AL;220uF,20%,400V,GP,ST,25x40,10	
⚠ 2	T444S	AA26-00116A	TRANS FBT;FSV-14A004H(S),CT15A8,3.24MH,1	
2	SUB	AA98-00079A	ASSY-SUB,PART;KS1A,MAIN(OPT),PAL,-	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
3		0204-000442	SOLVENT;1M-1000,C3H70H,96,-	
3		0204-001024	FLUX;DF-98TVS,-,20%,-	
⚠ 2	LR401S	AA27-00053A	COIL-LINEARLITY;-,193uH,DR10X10 C:4.35,7	
⚠ 2	CR410S	2303-001015	C-FILM,PPF;5.5nF,5%,1.6kV,TP,29x9.5x17,2	
2	IC602	HA96-00245B	ASSY-H/S;-,SOUND,AA62-30175D,TDA8943,-	
3	SCR602	HA60-020004	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YE),SWR	
3	H/S602	AA62-30175D	HEAT SINK-PS;-,SECC,T1.0,-,33X15X30 FT-2	
3	IC602	1201-001740	IC-AUDIO AMP;TDA8943,SIL,9P,850MIL,SINGL	
2	CN703	3711-002648	CONNECTOR-HEADER;BOX,9P,1R,2.5MM,STRAIGH	
2	CN601	3711-002642	CONNECTOR-HEADER;BOX,3P,1R,2.5MM,STRAIGH	
2	CN902	3711-002642	CONNECTOR-HEADER;BOX,3P,1R,2.5MM,STRAIGH	
2	CN901	3711-003043	CONNECTOR-HEADER;BOX,4P,1R,2.5mm,STRAIGH	
⚠ 2	CR402S	2306-000172	C-FILM,MPPF;270nF,5%,400V,BK,26.5x19mm,2	
2	LW01	AA27-00184A	COIL-HORIZ.WIDTH;480UH,480UH,6X20,0.12X1	
⚠ 2	CY801S	2201-000446	C-CERAMIC,DISC;3.3nF,20%,400V,Y5U,TP,18x	
2	CN706A	HA95-900048	ASSY-PCB,SECAM-L;-,KS1A,PAL/SEC-L,-,-	
3	ICL01	1204-001583	IC-IF CIRCUIT;U4468B,DIP,16P,-,PLASTIC,5	
3	SFS01	2904-001225	FILTER-SAW AV;38.9MHz,SIP5K,ST,15.7dB,L/	
3	CN706	3711-002701	CONNECTOR-HEADER;NOWALL,3P,1R,2.5MM,ANGL	
3	CN705	3711-002708	CONNECTOR-HEADER;NOWALL,10P,1R,2.5MM,ANG	
3		HA99-200075	ASSY-PCB,SECAM-L(ACI);-,KS1A,PAL/SEC-L,-	
4	CL01	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3	
4	CL02	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
4	CL03	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
4	CL04	2401-002235	C-AL;10UF,20%,16V,GP,TP,5X11MM,5MM	
4	CL05	2401-001495	C-AL;47uF,20%,16V,GP,TP,5x11,5	
4	CL06	2401-001495	C-AL;47uF,20%,16V,GP,TP,5x11,5	
4	CL07	2305-000196	C-FILM,MPEF;150NF,5%,63V,TP,-,5MM	
4	CL08	2305-000196	C-FILM,MPEF;150NF,5%,63V,TP,-,5MM	
4	DL01	0401-001088	DIODE-SWITCHING;BAW76,50V,300mA,DO-35,TP	
4	LL01	2701-000116	INDUCTOR-AXIAL;10uH,10%,4.2x9.8mm	
4	QL01	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
4	QL02	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
4	QL03	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
4	QL04	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	

Level	Loc. No.	Code No.	Description ; Specification	Remark
4	RL07	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
4	RL03	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
4	RL02	2001-000674	R-CARBON;360OHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RL05	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RL13	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RL11	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RL06	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RL10	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RL12	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RL15	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RL14	2001-000009	R-CARBON;20KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	PCB	AA41-00468A	PCB-SECAM,L D1;CF2139,FR-1,1L,A,1.6T,245	
4	RL08	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
⚠ 2	IC201S	AA09-00162A	IC-MOC;TDA9381-OPT,SPM-802EWN-2,64K,DIP,	
⚠ 2	T801S	AA26-00134A	TRANS-SWITCHING;,CS21S5T,160V~260V,PM2 P	

ASSY-PCB,A/V SIDE

1	*	HA95-900049	ASSY-PCB,A/V SIDE;-,14Y5,KS1A	
2	CN702	AA39-20112E	LEAD CONNECTOR-ASSY;,9P,YBNH025-09,67096	
2	JA701	3722-001343	JACK-RCA;1P,3.4MM,NI,WHT,-	
2	JA702	3722-001342	JACK-RCA;1P,3.4MM,NI,YEL,-	
2	JE601	3722-000144	JACK-PHONE;1P,3.6mm,MBAG,BLACK,-	
2	PCB(AC	HA99-200076	ASSY-PCB,A/V SIDE(ACI);-,14Y5,KS1A	
3	CE01	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	CE06	2202-000862	C-CERAMIC,MLC-AXIAL;390pF,10%,50V,Y5P,TP	
3	CE07	2202-000222	C-CERAMIC,MLC-AXIAL;3.3nF,20%,16V,Y5P,TP	
3	JE01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	LE01	2701-000158	INDUCTOR-AXIAL;22uH,10%,2.5x3.4mm	
3	PCB	AA41-00266B	PCB-FRONT A/V;CB-14Y5T,FR-1,1L,B,1.6T,24	
3	RE01	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	RE04	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
2		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
2		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
2		0204-001024	FLUX;DF-98TVS,-,20%,-	
2		0204-000442	SOLVENT;1M-1000,C3H70H,96,-	

ASSY-PCB,CONTROL

1	*	HA95-900051	ASSY-PCB,CONTROL;14Y5,KS1A,TTX	
2	LDC01	0601-000465	LED;ROUND,GRN,5mm,565	
2	RMC01	AA59-60002B	MODULE-REMOCON;-,ORC-50HF,38KHZ,940MM,ME	
2	SWC01	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	SWC02	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	SWC03	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	SWC04	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	SWC05	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	CN901C	AA39-00106C	LEAD CONNECTOR-ASSY;,4P,YBNH250-04,35155	
2	CN902C	AA39-00170A	LEAD CONNECTOR-ASSY;,3P,YBNH250-03,67096	
2	PCB(AC	HA99-200078	ASSY-PCB,CONTROL(ACI);14Y5,KS1A	
3	CC01	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	DZC01	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZC03	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZC04	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	R901C	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R903C	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R902C	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R904C	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R905C	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R906C	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R915C	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R927C	2001-000793	R-CARBON;47OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	PCB	AA41-00480A	PCB-CONTROL;CS14Y5,FR-1,1L,A,1.6T,245X24	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	

Level	Loc. No.	Code No.	Description ; Specification	Remark

REMOCON

1	*	AA59-00104J	REMOCON;-,TM59,SIM806E,25,L/GRAY,EX,GRAY	

ASSY-PCB,MASTER S/W

1	*	HA95-900050	ASSY-PCB,MASTER S/W;-,14Y5,KS1A,-,-,-	
2	SWP01	3403-000179	SWITCH-PUSH;250V,5A,DPST,-,JPW-2104B	
2	PCB(AC	HA99-200077	ASSY-PCB,MASTER S/W(ACI);-,14Y5,KS1A,-,-	
3	EY01	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY02	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY03	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY04	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	GT01	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT02	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT03	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT801	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT802	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT803	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	PCB	AA41-00295A	PCB-MASTER S/W;CB-14Y5T,CEM-1,1L,A,1.6T,	
2	CN	AA39-20179B	LEAD CONNECTOR-ASSY;,3(2)P,YFH800-150,S,	

ASSY-SPEAKER

1	*	AA96-10142B	ASSY-SPEAKER;-,16OHM2.5W,3001-000275,A	
2		AA39-20500C	LEAD CONNECTOR-ASSY;,3(2),67096-003,REC,	
2		3001-000275	SPEAKER;2.5W,16ohm,90dB,105Hz	

ASSY-POWER,CORD

1	*	AA96-20122A	ASSY-POWER,CORD;-,CP2/NO(4.0),H/C250,KKJ	

ASSY-CABINET(COM)

1	*	HA90-200038	ASSY-CABINET(COM);14Y5,SILVER	
2	PCB+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	HAV+PC	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	CB+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2		HA60-020006	SCREW-TAPTITE;RWH,+,B,M3,L10,ZPC(YEL)SWR	
2	CRT+CF	HA60-020010	SCREW-ASSY;WC,HH,+,M5,L26.5,SWRCH18A,ZPC	
2		HA64-00862E	CABINET-BACK;14Y5,SV-808P,HIPS,HB,GRAY	
3		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA01-030015	RESIN;M.BATCH,WILSON 6053-GY-60,GRY	
2		AA65-30008A	CLAMP-CORD;PE,HB,BLK,-,-,-	
2		AA65-30106A	CLAMP-D,COIL;14 INCH,NYLON 66,V2,-,NTR,-	
2		AA65-30009A	CLAMP-FBT;ABS,V0,BLK,-,-,-	
2		AA65-30002A	CLAMP-FBT;NYLON-66,V0,BLK,-,-,-	
2		AA65-30104B	CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,BLK,W	
2		AA65-30018A	CLAMP-WIRE;DONG-A,NYLON-66,-,-,-,DATL-60	
2		HA64-00867E	DECORATION-TOP;14Y5,HIPS,HB,GRAY	
3		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
2		HA61-00371E	HOLDER-A/V;14Y5,GD-906P,EPISOIDE,HIPS,HB	
3		HA61-100007	HOLDER-A/V;14Y5,HIPS,HB,GRAY	
4		0103-000288	RESIN-PP;GENERAL,BLK,-,V0	
3		HA02-060019	MARKING-PAINT;METALLIC-CHAMPAGNE,GD-906P	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	
2		HA68-500021	LABEL-QMS;-,T0.1,L135,W35,WHT,-,-	
2		HA68-500025	LABEL-RATING;A/P 90G,T0.2,L55,W55,STANDA	
2		HA02-030005	TAPE-INK;WIDTH 55 MM	
2		HA68-500044	LABEL-COLOUR;14Y5,SILVER	

Level	Loc. No.	Code No.	Description ; Specification	Remark

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY-PACKING

1	*	HA90-800062	ASSY-PACKING;14Y5,SILVER	
2		HA69-00317A	CUSHION-SET;14Y5,PS C=002,-,-,-	
3		HA01-030006	RESIN-EPS;CHEIL SF-301V,WHT	
2		HA69-00401A	PACKING-CASE;14Y5,A4,CB S-1 A,YEL,414,42	
2		AA69-30032A	BAG-SHEET;HDPE+PE FOAM,-,W800,H750,-,-,-	
2		AA60-40006A	PIN-STAPLE;-,-,H18,33X17.8X2.4,-,AUTO	
2		HA68-500044	LABEL-COLOUR;14Y5,SILVER	
2		HA68-500026	LABEL-BOX;A/P (120G),T0.2,-,-,STANDARD	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	

ASSY-CABINET,FRONT

1	*	HA91-100045	ASSY-CABINET,FRONT;14Y5,SILVER	
2	IL+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	KC+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2		HA64-00864A	KNOB-POWER,M;14Y5,HIPS,HB,GD-906P	
3		HA64-300108	KNOB-POWER;14Y5,HIPS,HB,GRY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060019	MARKING-PAINT;METALLIC-CHAMPAGNE,GD-906P	
2		HA64-00865A	WINDOW-REMOCON;14Y5,PC,-,-,-VO,VIOLET	
3		HA01-030005	RESIN-PC;LEXAN 121R,VIOLET	
2		HA64-00861E	CABINET-FRONT;14Y5,GD-906P EPISOIDE,HIPS	
3		HA64-300109	CABINET-FRONT;14Y5,HIPS,HB,NTR	
4		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA02-060019	MARKING-PAINT;METALLIC-CHAMPAGNE,GD-906P	
3		HA02-060015	MARKING-PAINT;-,TO/3000,BLACK	
3		HA61-00374A	BOSS-CABINET;14Y5,HIPS,HB,G3676	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
3		HA02-010003	ADHESIVE-STR;GP-PS 2	
2		HA64-00866A	INDICATOR-LED;SPACE	
3		HA01-030009	RESIN;OROGLAS,VM-100 ZHN 205	
2		HA64-00863E	KNOB-CONTROL;14Y5,HIPS,HB,GD-906P,CHAMPA	
3		HA64-300110	KNOB-CONTROL;14Y5,HIPS,HB,GRY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060019	MARKING-PAINT;METALLIC-CHAMPAGNE,GD-906P	
2		AA64-70127F	BADGE-BRAND;NEW,AL,-,-,L40,R800,SILVER,S	
2		AA65-30105A	CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,NTR,1	
2		HA02-010004	ADHESIVE-HM;-,12MM	
2		AA61-60003J	SPRING-CS;-,SUS304,-,-,OD6,N7,OD6,-,-,-,	

ASSY-CRT

1	*	HA94-01715A	ASSY-CRT;A34JLL80X27,+380MG,14,ITC,ORIO	
2		AA03-00120A	CRT-COLOR;A34JLL80X27,14,1.0R,57.5%,+380	
2		AA39-20518A	LEAD CONNECTOR-ASSY;,6(4)P,YFH806-06,350	
2		AA27-20003U	COIL-DEGAUSSING;-,14,16.4ohm,75T,890mm,D	
2		AA63-10002A	BAND-TIE;-,NYLON66 V2,-,-,L100,NTR,-,-	
2		AA98-70032A	ASSY-TBC,WIRE(P);DP,14,AA98-70014A,1P,TV	
1		HA94-016006	ASSY-ACCESSORY;KS1A, 14 , XEF	
2		4301-000120	BATTERY-MN;1.5V,-,AA,14.5X50MM,-	
2		HA02-030003	TAPE-ACETATE;-,T00.1,W20,L200MM	
2		HA68-00336B	CARD-WARRANTY;A/P100(G),A5,NEW VERSION,I	
2		AA26-90001C	TRANS-MATCHING;-,300ohm/75ohm,PAL,40-890	
2		AA42-00003A	ANT-ROD;-,3S,720mm,ABS,UL/CSA,-	
2		HA69-00276A	VINYL-BAG;HDPE,T0.025,L400,W240,-,W/O LO	
2		HA68-100133	MANUAL-USERS;KS1A,W/P,100(G),GER,FRA,DUT	

7-15 CF20F42ZSXXEF(CF20F42ZSXXEF and CF14Y52ZSXXEF)

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY-PCB,MAIN(OPT)

1	*	HA94-100864	ASSY-PCB,MAIN(OPT);CF,20H1-H3,ORION,NTTX	
2	PCB(AC	HA99-100792	ASSY-PCB,MAIN(ACI);CF,20H1-H3,ORION,KS1A	
3	DZ903	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ904	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ905	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	R905	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R906	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R902	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R904	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R901	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R903	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R927	2001-000793	R-CARBON;47OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R915	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	C915	2401-000302	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
3	SW901	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW902	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW903	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW904	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW905	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	J181	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R423	2004-001373	R-METAL(S);100KOHM,1%,1/2W,AA,TP,2.4X6.4	
3	R302	2004-004366	R-METAL(S);1.3Kohm,1%,1/2W,AA,TP,2.5x6.5	
3	R505	2008-001015	R-FUSIBLE(S);1.5ohm,5%,2W,AF,TP,3.9x10mm	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
2	LD901	AA96-00555A	ASSY LED GUIDE;-,-,UEX-LD-030,GREEN	
2	RM901	AA32-00001A	MODULE REMOCON;-,ORC-195VF,38KHZ,940nm,M	
3		HA68-500033	LABEL-WARNING;A/P(90G),W33,H18,WHT	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	SW801S	3403-000179	SWITCH-PUSH;250V,5A,DPST,-,JPW-2104B	
3		1204-001483	IC-VERTICAL PROCESSO;LA7840,SIP,7P,708MI	
3		AA62-00064A	HEAT SINK-PS;DP,-,-,-,AA62-00046A,-,-,-,	
3		6003-000335	SCREW-TAPTITE;RH,+,2S,M3,L8,ZPC(YEL),SL)	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	C801	2401-002221	C-AL;220uF,20%,450V,GP,ST,25x40,10	
⚠ 2	CR402S	2306-001004	C-FILM,MPPF;300NF,5%,400V,TP,26X14X21MM,	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
3		0204-000442	SOLVENT;1M-1000,C3H70H,96,-	
3		0204-001024	FLUX;DF-98TVS,-,20%,-	
2	LW01	AA27-40001M	COIL-HORIZ.WIDTH;-,180/480uH,SB-5S6202.6	
2	CN603	3711-002643	CONNECTOR-HEADER;BOX,4P,1R,2.5mm,STRAIGH	
⚠ 2	IC201S	AA09-00160A	IC-MOC;TDA9381-OPT,SPM-802EEN-1,64K,DIP,	
3		HA99-200075	ASSY-PCB,SECAM-L(ACI);-,KS1A,PAL/SEC-L,-	

ASSY-CRT

1	*	HA94-500041	ASSY-CRT;A48JLL90X02(W),450MG,2.3MH,28MH	
2		AA03-00258A	CRT COLOR;A48JLL80X01,+380MG,2.3MH,28.0M	
2		AA27-20003Y	COIL-DEGAUSSING;-,20,15.2ohm,28T,L2170,E	
2		AA98-70031A	ASSY-TBC,WIRE(P);DP,20,AA98-70014B,1P,TV	
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT	

ASSY-PACKING

1	*	HA90-21031A	ASSY-PACKING;20F4	
2		HA69-00646A	CUSHION SET;20F4,CAST	
2		HA69-00710B	PACKING CASE;20F4,CB D-1 BB,YEL,GUJU EUR	
2		AA69-30032C	BAG-SHEET;HDPE+PE FOAM,-,W1050,H950,-,-	

ASSY-CABINET,FRONT

1	*	HA91-20031A	ASSY-CABINET,FRONT;20F4,SILVER	
2		AA61-60003T	SPRING-CS;-,SUS304,-,-,0D7,N5,0D7,-,-,-,	
2		HA64-01338A	KNOB-POWER;20H3,HIPS,HB,BLK	
3		HA01-030001	RESIN;M.BATCH,WILSON 902-BK-60,BLK	
2		HA64-01339A	WINDOW-REMOCON;20H3,PC,VIOLET,	
2		HA64-01340A	INDICATOR-LED;20H3,ACRYL,	
2		HA64-01337A	KNOB-CONTROL;20H3,HIPS,HB,BLK,	
3		HA01-030001	RESIN;M.BATCH,WILSON 902-BK-60,BLK	
2		HA64-01335B	CABINET-FRONT;20F4,HIPS,HB,SV-012P-II.	
3		HA02-060005	MARKING-PAINT;-,TPC180,WHITE	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA64-21031A	CABINET-FRONT;20F4,HIPS,HB,GRAY	
2		0203-000432	TAPE-ACETATE;#156A,T0.25mm,W19mm,L30M,-	
2		HA96-10139B	ASSY-SPEAKER;-,16OHM,3W,3001-001039,AA39	
3		3001-001039	SPEAKER;3W,16ohm,90dB,180Hz	
3		AA39-20505M	LEAD CONNECTOR-ASSY;,4P,SMH025-04,REC,30	

ASSY-CABINET(COM)

1	*	HA90-20031A	ASSY-CABINET(COM);20F4	
2		HA64-01336B	CABINET-BACK;20F4,HIPS,HB,GRY,	
2		HA63-600005	SPACER-GUM,CRT;-,NTR RUBBER,T5.0,M5,BLK,	
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT	

ASSY-PCB,A/V SIDE

1	*	HA95-900054	ASSY-PCB,A/V SIDE;-,20F4,KS1A	
2		HA99-200087	ASSY-PCB,A/V SIDE(ACI);-,20F4,KS1A	
3	RE02A	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	CE04	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
3	LE04	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.4MM	
3	LE01	2701-000158	INDUCTOR-AXIAL;22uH,10%,2.5x3.4mm	
3	PCB	AA41-00208C	PCB-FRONT AV;S4/C5 MODEL,FR-1,1L,C,1.6T,	
2	JE601	3722-000143	JACK-PHONE;1P(VER),3.4mm,AG,BLK,NO	
2	JR01	3722-001282	JACK-RCA;2P(3P),3.2mm,AU,BLK,-	

ASSY-A/V SIDE

1	*	AA95-00946A	ASSY-A/V SIDE;-,20F4,S15A,PAL,-,MONO	
2		HA61-00494A	HOLDER-AV;TOOL,20F4,-,-,-,-,MOLD	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
2		AA64-01309K	INLAY AV;PS SHEET,21D8,T0.3,-,-,-,S15A M	
2	PCB+HO	HA60-020008	SCREW-TAPTITE;RWH,+,B,M4,L12,ZPC(YEL),SW	
2	C/F+HO	HA60-020009	SCREW-TAPTITE;TH,+,B,M4.0,L15,BLK,SWRCH1	

7-16 CI20F12ZSXXEU(CI20F12ZSXXEU and CF14Y52ZSXXEF)

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY-CABINET(COM)

1	*	HA90-20027A	ASSY-CABINET(COM); 20F1	
2		HA63-600005	SPACER-GUM,CRT;-,NTR RUBBER,T5.0,M5,BLK,	
2		HA64-22005A	CABINET-BACK;20F1,HIPS,HB,GRAY	

ASSY-PACKING

1	*	HA90-21005A	ASSY-PACKING;20F1	
2		AA69-30032C	BAG-SHEET;HDPE+PE FOAM,-,W1050,H950,-,-	
2		HA69-200014	CUSHION-SET;-,-,-,-,C=0.02,501	
2		HA69-500013	PACKING-CASE;DP,CB35,-,-,-,YEL,501	
1		HA91-20005A	ASSY-CABINET,FRONT;20F1,SILVER	
2		AA61-60003T	SPRING-CS;-,SUS304,-,-,OD7,N5,OD7,-,-,-,	
2		HA64-25011A	KNOB-POWER;20F1,21F1,HIPS,SV-012P-II,SIL	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA64-26011A	KNOB-POWER;20F1,21F1,HIPS,HB,GRAY	
2		HA64-23011A	KNOB-CONTROL;20F1,21F1,HIPS,SV-012P-II.S	
3		HA64-24011A	KNOB-CONTROL;20F1,21F1,HIPS,HB,GRAY	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
2		AA64-40450B	WINDOW-REMOCON;-,501F,-,PC,V0,VIOLET,-	
2		AA64-40451B	INDICATOR-LED;-,33.501F,-,ACRYL,-,CLR,-	
2		0203-000432	TAPE-ACETATE;#156A,T0.25mm,W19mm,L30M,-	
2		HA64-20005A	CABINET,FRONT;20F1,HIPS,HB,SV-012P-II,	
3		HA64-21005A	CABINET,FRONT;20F1,HIPS,HB,GREY	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA02-060005	MARKING-PAINT;-,TPC180,WHITE	
2		HA96-00254A	ASSY-SPEAKER;-,16OHM,3W,-,3001-001039,70	
3		3001-001039	SPEAKER;3W,16ohm,90dB,180Hz	

ASSY-PCB,MAIN(OPT)

1	*	HA94-100778	ASSY-PCB,MAIN(OPT);CI,501F,ORION,NTTX,KS	
2	PCB(AC	HA99-100753	ASSY-PCB,MAIN(ACI);CB,501F,ORION,KS1A	
3	DZ903	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ904	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ905	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	R905	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R906	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R902	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R904	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R901	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R903	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R927	2001-000793	R-CARBON;47OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R915	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R213	2001-000938	R-CARBON;68ohm,5%,1/8W,AA,TP,1.8x3.2mm	
3	R814	2008-001112	R-FUSIBLE(S);2.4ohm,5%,2W,AG,TP,3.9x12mm	
3	R815	2008-001112	R-FUSIBLE(S);2.4ohm,5%,2W,AG,TP,3.9x12mm	
3	C915	2401-000302	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
3	C110	2401-000962	AL;22uF,20%,50V,GP,TP,5x11,5	
3	SW901	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW902	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW903	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW904	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW905	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	JK01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JK02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JK03	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R423	2004-001373	R-METAL(S);100KOHM,1%,1/2W,AA,TP,2.4X6.4	
3	R413	2003-001035	R-METAL OXIDE(S);27ohm,5%,2W,AF,TP,3.9x1	
3	R302	2004-004366	R-METAL(S);1.3Kohm,1%,1/2W,AA,TP,2.5x6.5	
3	R505	2008-001015	R-FUSIBLE(S);1.5ohm,5%,2W,AF,TP,3.9x10mm	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
⚠ 2	SF101S	2904-001063	FILTER-SAW AV;38.9MHz,SIP5K,TP,17dB,PAL-	
2	LD901	AA96-00555A	ASSY LED GUIDE;-,-,UEX-LD-030,GREEN	
2	RM901	AA32-00001A	MODULE REMOCON;-,ORC-195VF,38KHZ,940nm,M	
3		HA68-500033	LABEL-WARNING;A/P(90G),W33,H18,WHT	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	SW801S	3403-000179	SWITCH-PUSH;250V,5A,DPST,-,JPW-2104B	
3		1204-001483	IC-VERTICAL PROCESSO;LA7840,SIP,7P,708MI	
3		AA62-00064A	HEAT SINK-PS;DP,-,-,-,AA62-00046A,-,-,-,	
3		6003-000335	SCREW-TAPTITE;RH,+,2S,M3,L8,ZPC(YEL),SL)	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
3		0204-000442	SOLVENT;1M-1000,C3H7OH,96,-	
2	LW01	AA27-40001M	COIL-HORIZ.WIDTH;-,180/480uH,SB-5S6202.6	
⚠ 2	CR402S	2306-001004	C-FILM,MPPF;300NF,5%,400V,TP,26X14X21MM,	
⚠ 2	IC201S	AA09-00191A	IC-MOC;TDA9381PS/N2H6,SPM-802EWN,64K,DIP	

ASSY-ACCESSORY

1	*	HA94-01601D	ASSY-ACCESSORY;KS1A,XEU	
2		HA68-100111	MANUAL-USERS;KS1A,W/P,100(G),ENG	

ASSY-CRT

1	*	HA94-500041	ASSY-CRT;A48JLL90X02(W),450MG,2.3MH,28MH	
2		AA03-00258A	CRT COLOR;A48JLL80X01,+380MG,2.3MH,28.0M	
2		AA27-20003Y	COIL-DEGAUSSING;-,20,15.2ohm,2BT,L2170,E	
2		AA98-70031A	ASSY-TBC,WIRE(P);DP,20,AA98-70014B,1P,TV	
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT	

ASSY-POWER,CORD

1	*	HA96-700003	ASSY-POWER,CORD;-,EP3/YES,H/C250MM,U.K,	
2		HA39-010001	POWER-CORD;DP,CP3,-,2.4M,BLK,AC250V,10A	
2		AA61-20284A	HOLDER;-,P-CORD,PP,VO,BLK,KE-002	
2		HB61-200001	CAP-CORD;-,PP,-,RED,CI	

7-17 CI20F12TSXXEU(CI20F12TSXXEU and CI20F12ZSXXEU)

Level	Loc. No.	Code No.	Description ; Specification	Remark
			ASSY-PCB,MAIN(OPT)	
1	*	HA94-100777	ASSY-PCB,MAIN(OPT);CI,501F,TTX,KS1	
2	PCB(AC	HA99-100751	ASSY-PCB,MAIN(ACI);CB,501F,KS1A	
3	R501H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R502H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R315	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R303	2003-002070	R-METAL OXIDE;1ohm,5%,2W,AF,TP,3.9x10mm	
3	R306	2004-004969	R-METAL(S);1.1Kohm,1%,1/2W,AA,TP,2.4x6.4	
3	R505	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
⚠ 3	CR409S	2201-002041	C-CERAMIC,DISC;0.82nF,10%,2kV,Y5P,TP,9x5	
⚠ 2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
⚠ 2	LR401S	AA27-30001B	COIL-LINEARLITY;-,195uH,QIC1010,PI0.4,4.	
2	LW01	AA27-40001N	COIL-HORIZ.WIDTH;-,90/260uH,SB-5S620,PI0	
⚠ 2	CR402S	2306-000195	C-FILM,MPPF;360nF,5%,400V,TP,26x19x11.5,	
⚠ 2	IC201S	AA09-00190A	IC-MOC;TDA9351PS/N2H6,SPM-802EW,64K,DIP,	
			ASSY-CRT	
1	*	HA94-50011A	ASSY-CRT;A48ECR43X,+400mG,20,90deg,	
2		AA03-00280A	CRT COLOR;A48ECR43X,+380MG,1.85MH,28.7MH	
			REMOCON	
1	*	AA59-00104N	REMOCON;,TM59,SIM806E,29,L/GRAY,TTX/MONO	

7-18 CI21F12TSXXEU(CI21F12TSXXEU and CI20F12ZSXXEU)

Level	Loc. No.	Code No.	Description ; Specification	Remark
			REMOCON	
1	*	AA59-00104N	REMOCON;,TM59,SIM806E,29,L/GRAY,TTX/MONO	
			ASSY-PCB,MAIN(OPT)	
1	*	HA94-100808	ASSY-PCB,MAIN(OPT);CI,531F,TTX,KS	
2		HA99-100762	ASSY-PCB,MAIN(ACI);CB,531F,KS1A	
3	R501H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R502H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R315	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R303	2008-001133	R-FUSIBLE(S);0.75ohm,5%,2W,AF,TP,3.9x10m	
3	R302	2004-004969	R-METAL(S);1.1Kohm,1%,1/2W,AA,TP,2.4x6.4	
3	R421	2008-001013	R-FUSIBLE(S);1.2ohm,5%,2W,AF,TP,3.9x10mm	
3	R505	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
3	R306	2004-001390	R-METAL(S);1KOHM,2%,1/2W,AA,TP,2.4X6.4MM	
⚠ 2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
⚠ 2	CR402S	2306-000350	C-FILM,MPPF;270nF,5%,400V,BK,26x18.5x10,	
⚠ 2	LR401S	AA27-30001B	COIL-LINEARLITY;-,195uH,QIC1010,PI0.4,4.	
			ASSY-CRT	
1	*	HA94-50012A	ASSY-CRT;A51EER31X,+400MG,-,-,-,21	
2		AA03-00279A	CRT COLOR;A51EER33X,+380MG,2.07MH,21.0MH	
2		AA27-20003Z	COIL-DEGAUSSING;-,21,13.5ohm,25T,L2380,E	
2		AA98-70030A	ASSY-TBC,WIRE(P);DP,21,AA98-70014C,1P,TV	
			ASSY-PACKING	
1	*	HA90-21011A	ASSY-PACKING;21F1	
2		HA69-200015	CUSHION-SET;-,-,-,-,C=0.02,531	
2		HA69-500014	PACKING-CASE;DP,CB35,-,-,-,YEL,531	
			ASSY-CABINET,FRONT	
1	*	HA91-20011A	ASSY-CABINET,FRONT;21F1,SILVER	
2		HA64-20011A	CABINET,FRONT;21F1,HIPS,HB,SV-012P-II,	
3		HA64-21011A	CABINET,FRONT;21F1,HIPS,HB,GREY	
			ASSY-CABINET(COM)	
1	*	HA90-20011A	ASSY-CABINET(COM); 21F1	
2		HA64-22011A	CABINET-BACK;21F1,HIPS,HB,GRAY	
2		HA63-600004	SPACER-GUM,CRT;-,NTR RUBBER,T2.5,M5,BLK,	

7-19 CZ14Y52TSXXEH(CZ14Y52TBXXEH)

ASSY-PCB,MAIN(OPT)

Level	Loc. No.	Code No.	Description ; Specification	Remark
1	*	HA94-100773	ASSY-PCB,MAIN(OPT);CZ,14Y5,ORION,TTX,KS1	
2	PCB(AC	HA99-100748	ASSY-PCB,MAIN(ACI);CZ,14Y5,ORION,KS1A	
3	D201	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 3	D811	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 3	D801S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
⚠ 3	D802S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
⚠ 3	D803S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
⚠ 3	D804S	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
3	D501	0402-000254	DIODE-RECTIFIER;RGP10J,600V,1A,DO-41,TP	
⚠ 3	D803	0402-000254	DIODE-RECTIFIER;RGP10J,600V,1A,DO-41,TP	
3	D301	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D304	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 3	D401	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D502	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D503	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D504	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 3	D812	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
3	D302	0402-001352	DIODE-RECTIFIER;GUF15G-20A,400V,1.5A,DO-	
3	DZ402	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ807	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ810	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ901	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ101	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
3	DZ303	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
3	DZ803	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
3	DZ201	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ204	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ205	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ207	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ501	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ502	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ503	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ504	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ704	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ808	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ306	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ307	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ701	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ702	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ703	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
3	DZ801	0403-001140	DIODE-ZENER;RD10ESAB-T4,10V,9.19-10.30V,	
3	DZ302	0403-001221	DIODE-ZENER;UZ39BSB,35.36-37.19V,500MW,D	
3	DZ806	0403-001317	DIODE-ZENER;MTZJ3.0B,3.01-3.22V,500mW,DO	
3	DZ203	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
3	DZ805	0403-001327	DIODE-ZENER;MTZJ18A,16.22-17.06V,500mW,D	
3	DZ301	0403-001328	DIODE-ZENER;MTZJ22A,20.15-21.20V,500mW,D	
3	DZ305	0403-001328	DIODE-ZENER;MTZJ22A,20.15-21.20V,500mW,D	
3	Q201	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400MW,TO-92,T	
3	Q901	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400MW,TO-92,T	
3	Q402	0501-000369	TR-SMALL SIGNAL;KSC2331-Y,NPN,1W,TO-92L,	
3	Q202	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q205	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q701	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q903	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q905	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
3	Q704	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400MW,TO-92,T	
⚠ 3	VX801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
3	R207	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R218	2001-000008	R-CARBON;15KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R602	2001-000008	R-CARBON;15KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R205	2001-000011	R-CARBON;75Kohm,5%,1/8W,AA,TP,1.8x3.2mm	
3	R301	2001-000016	R-CARBON(S);10HM,5%,1/2W,AA,TP,2.4x6.4MM	
3	J125	2001-000016	R-CARBON(S);10HM,5%,1/2W,AA,TP,2.4x6.4MM	
3	R843	2001-000019	R-CARBON(S);100HM,5%,1/2W,AA,TP,2.4X6.4M	
3	R618	2001-000019	R-CARBON(S);100HM,5%,1/2W,AA,TP,2.4X6.4M	
3	R409	2001-000022	R-CARBON(S);33OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	R823	2001-000037	R-CARBON(S);330HM,5%,1/2W,AA,TP,2.4X6.4	
3	R211	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R215	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R223	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R501	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R502	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R506	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R510	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R511	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R512	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R909	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R911	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R912	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R913	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R914	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	J137	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R213	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R718	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R933	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R934	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R224	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R828	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R910	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R920	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R922	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R921	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R919	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R709	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R230	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R225	2001-001035	R-CARBON;91ohm,5%,1/8W,AA,TP,1.8x3.2mm	
3	R918	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R926	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R210	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R723	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R721	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R916	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R917	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R220	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R907	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R908	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R214	2001-000490	R-CARBON;200OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R206	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R829	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R929	2001-000563	R-CARBON;27KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R208	2001-000591	R-CARBON;3.3KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R202	2001-000689	R-CARBON;390KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R925	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R841	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R227	2001-000739	R-CARBON;4.7MOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R228	2001-000739	R-CARBON;4.7MOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R109	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R724	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R725	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R726	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R727	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R209	2001-000793	R-CARBON;47OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R203	2001-000857	R-CARBON;560OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R204	2001-000857	R-CARBON;560OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R713	2001-000857	R-CARBON;560OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R715	2001-000857	R-CARBON;560OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R110	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R722	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R108	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R222	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R702	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R719	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R720	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R408	2001-001037	R-CARBON(S);0.39OHM,5%,1/2W,AA,TP,2.4X6.	
3	R504	2001-001062	R-CARBON(S);10MOHM,5%,1/2W,AA,TP,2.4X6.4	
3	R414	2001-001078	R-CARBON(S);15KOHM,5%,1/2W,AA,TP,2.4X6.4	
3	R806	2001-001108	R-CARBON(S);22KOHM,5%,1/2W,AA,TP,2.4X6.4	
3	R411	2001-001114	R-CARBON(S);270OHM,5%,1/2W,AA,TP,2.4X6.4	
3	R809	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
3	R810	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
3	R501M	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	

Level	Loc. No.	Code No.	Description ; Specification	Remark
3	R502M	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R503	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
⚠ 3	RX801S	2002-001011	R-COMPOSITION;3.3MOHM,10%,1/2W,AA,TP,3.7	
⚠ 3	RY801S	2002-001012	R-COMPOSITION;8.2MOHM,10%,1/2W,AA,TP,3.7	
3	R827	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R316	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R403	2003-000784	R-METAL OXIDE(S);7.5KOHM,5%,2W,AF,TP,4X1	
3	R834	2003-001040	R-METAL OXIDE(S);47Kohm,5%,2W,AF,TP,3.9x	
3	R801	2003-002171	R-METAL OXIDE(S);150ohm,5%,2W,AG,TP,3.9x	
3	R402	2003-002178	R-METAL OXIDE(S);1Kohm,5%,2W,AG,TP,3.9x1	
3	R407	2003-002209	R-METAL OXIDE(S);47Kohm,5%,2W,AG,TP,3.9X	
3	R219	2004-001914	R-METAL;39KOHM,2%,1/8W,AA,TP,1.8X3.5MM	
3	R817	2004-004089	R-METAL;123KOHM,1%,1/2W,AA,TP,2.5X6.5M	
3	R423	2004-004089	R-METAL;123KOHM,1%,1/2W,AA,TP,2.5X6.5M	
3	R304	2008-000253	R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP,3.9x10m	
3	R305	2008-000253	R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP,3.9x10m	
3	R825	2008-000266	R-FUSIBLE(S);1OHM,5%,2W,AF,TP,3.9X10MM	
3	R824	2008-000294	R-FUSIBLE(S);33ohm,5%,2W,AF,TP,3.9x10mm	
3	R420	2008-001110	R-FUSIBLE(S);68ohm,5%,2W,AG,TP,3.9X12mm	
3	R814	2008-001086	R-FUSIBLE(S);3.3ohm,5%,2W,AG,TP,3.9x12mm	
3	R815	2008-001086	R-FUSIBLE(S);3.3ohm,5%,2W,AG,TP,3.9x12mm	
3	C904	2201-000180	C-CERAMIC,DISC;10NF,10%,50V,Y5V,TP,6.5*3	
3	C501	2201-000192	C-CERAMIC,DISC;0.01nF,0.25pF,500V,NP0,TP	
3	C302	2201-000259	C-CERAMIC,DISC;0.18nF,10%,500V,Y5P,TP,5.	
3	C303	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
3	C305	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
3	C908	2201-000872	C-CERAMIC,DISC;82pF,5%,50V,CH,8x5mm,5mm,	
3	C909	2201-000872	C-CERAMIC,DISC;82pF,5%,50V,CH,8x5mm,5mm,	
3	C408	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
⚠ 3	CR404S	2201-000639	C-CERAMIC,DISC;0.68nF,10%,2kV,Y5P,TP,9x5	
3	C811	2201-000991	C-CERAMIC,DISC;0.56nF,10%,2kV,Y5P,TP,7.5	
3	C814	2201-000991	C-CERAMIC,DISC;0.56nF,10%,2kV,Y5P,TP,7.5	
3	C503	2201-000723	C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5	
3	C703	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
3	C704	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
3	C106	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
3	C111	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
3	C223	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3	
3	C224	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3	
3	C906	2202-000796	C-CERAMIC,MLC-AXIAL;1nF,10%,50V,Y5P,TP,3	
3	C505	2202-000825	C-CERAMIC,MLC-AXIAL;680pF,10%,50V,Y5P,TP	
3	C226	2202-000829	C-CERAMIC,MLC-AXIAL;820pF,10%,50V,Y5P,3.	
3	C707	2301-000204	C-FILM,PEF;2.7nF,5%,50V,TP,7.4x3.9x13mm,	
3	C502	2301-000213	C-FILM,PEF;220nF,5%,250V,TP,21.5x11,7.5	
3	C109	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm	
3	C804	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm	
3	C805	2301-000235	C-FILM,PEF;3.9nF,5%,50V,TP,6.5x3.0x5.5mm	
3	C309	2301-000254	C-FILM,PEF;39nF,5%,50V,TP,7.5x3.5x6.5mm,	
3	C606	2301-000111	C-FILM,PEF;1.8nF,5%,50V,TP,6.5x3.0x5.5mm	
3	C217	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
3	C234	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
3	C407	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
3	C227	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
3	C248	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
3	C420	2301-001065	C-FILM,MPPF;47nF,5%,630V,TP,19x15.5x7,7.	
3	C301	2305-000285	C-FILM,MPEF;220nF,5%,100V,TP,20x18x11.5	
3	C215	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
3	C216	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
3	C233	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
3	C611	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
3	C613	2305-000289	C-FILM,MPEF;220nF,5%,63V,TP,-,5mm	
⚠ 3	CR405S	2305-000382	C-FILM,MPEF;4.7NF,5%,400V,TP,-,5MM	
3	C103	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C208	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C210	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C230	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C803	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C819	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C913	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C218	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C204	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C205	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C231	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C618	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
3	C225	2309-000138	C-FILM,PE-PPF;100nF,5%,50V,TP,20x16x8.5,	
3	C812	2401-000262	C-AL;100uF,20%,160V,HR,TP,16x25,7.5	
3	C817	2401-000302	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
3	C821	2401-000302	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
3	C823	2401-000302	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
3	C307	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
3	C308	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
3	C506	2401-000430	C-AL;10UF,20%,250V,GP,TP,10X16MM,5M	
3	C820	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	C612	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	C604	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	C219	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
3	C212	2401-000660	C-AL;2.2uF,20%,50V,GP,TP,5x11,5	
3	C221	2401-000660	C-AL;2.2uF,20%,50V,GP,TP,5x11,5	
3	C605	2401-000660	C-AL;2.2uF,20%,50V,GP,TP,5x11,5	
3	C222	2401-000758	C-AL;220NF,20%,50V,GP,TP,5X11MM,5MM	
3	C827	2401-000927	C-AL;22UF,20%,250V,GP,TP,13X20MM,5M	
3	C110	2401-000962	AL;22uF,20%,50V,GP,TP,5x11,5	
3	C101	2401-001101	C-AL;330uF,20%,16V,GP,TP,8x11.5,5	
3	C802	2401-001192	C-AL;33uF,20%,50V,GP,TP,6.3x11,5	
3	C504	2401-001232	C-AL;4.7uF,20%,250V,GP,TP,10x12.5,5	
3	C209	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C213	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C229	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C903	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C910	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	C705	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
3	C706	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
3	C710	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
3	C711	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
3	C601	2401-001998	C-AL;1000UF,20%,25V,GP,TP,10X20,5MM	
3	C206	2401-002235	C-AL;10UF,20%,16V,GP,TP,5X11MM,5MM	
3	C220	2401-002235	C-AL;10UF,20%,16V,GP,TP,5X11MM,5MM	
3	C709	2401-002235	C-AL;10UF,20%,16V,GP,TP,5X11MM,5MM	
3	C306	2401-002288	C-AL;470uF,20%,25V,WT,TP,10x20,5	
3	C304	2401-002288	C-AL;470uF,20%,25V,WT,TP,10x20,5	
3	C813	2401-002290	C-AL;47uF,20%,160V,GP,TP,13x20,5	
3	C406	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
3	C214	2401-003102	C-AL;100uF,20%,10V,GP,TP,5x11,5	
3	L103	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.4MM	
3	L202	2701-000114	INDUCTOR-AXIAL;10UH,10%,2.5X3.4MM	
3	L301	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4MM	
3	L302	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4MM	
3	L404	2701-000142	INDUCTOR-AXIAL;1UH,10%,2.5X3.4MM	
3	L903	2701-000158	INDUCTOR-AXIAL;22uH,10%,2.5x3.4mm	
3	L102	2701-000159	INDUCTOR-AXIAL;22UH,10%,4.2X9.8MM	
3	L201	2701-000159	INDUCTOR-AXIAL;22UH,10%,4.2X9.8MM	
3	L205	2701-000159	INDUCTOR-AXIAL;22UH,10%,4.2X9.8MM	
3	L405	2701-000159	INDUCTOR-AXIAL;22UH,10%,4.2X9.8MM	
3	L104	2701-000168	INDUCTOR-AXIAL;3.3 UH 5% 2.5X3.4 MM	
3	L902	2701-000180	INDUCTOR-AXIAL;33UH,5%,2.5X3.4MM	
3	L904	2701-000180	INDUCTOR-AXIAL;33UH,5%,2.5X3.4MM	
3	L702	2701-000184	INDUCTOR-AXIAL;4.7UH,10%,2.5X3.4MM	
3	L703	2701-000184	INDUCTOR-AXIAL;4.7UH,10%,2.5X3.4MM	
3	L704	2701-000184	INDUCTOR-AXIAL;4.7UH,10%,2.5X3.4MM	
3	L706	2701-000184	INDUCTOR-AXIAL;4.7UH,10%,2.5X3.4MM	
3	L204	2701-000184	INDUCTOR-AXIAL;4.7UH,10%,2.5X3.4MM	
3	X901	2801-003937	CRYSTAL-UNIT;12MHz,25ppm,28-AAM,30pF,30o	
3	L806	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5X5,TP,-	
3	L808	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5X5,TP,-	
3	L403	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5X5,TP,-	
3	Z202	2903-001040	FILTER-CERAMIC;TR,5.5/6.0/6.5MHz,-,1dB,-	
3	L802	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
3	L803	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
3	J910	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
3	F801A	3602-000114	FUSE-HOLDER;-,-,30MOHM	
3	F801B	3602-000114	FUSE-HOLDER;-,-,30MOHM	
3	C107	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	C507	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	C508	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	D202	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J102	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J103	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J104	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J106	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J107	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J108	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J110	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	

Level	Loc. No.	Code No.	Description ; Specification	Remark
3	J111	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J113	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J114	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J117	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J120	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J121	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J122	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J124	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J126	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J127	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J128	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J129	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J131	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J132	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J133	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J134	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J135	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J136	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J138	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J139	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J140	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J142	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J143	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J145	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J146	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J147	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J148	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J150	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J151	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J152	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J154	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J155	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J156	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J157	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J158	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J159	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J160	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J163	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J167	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J168	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J170	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J171	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J173	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J174	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J175	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J176	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J182	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J185	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J186	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J187	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J189	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J190	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J192	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J193	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J195	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J196	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J198	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J401	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J803	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J807	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J812	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J902	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J913	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
⚠ 3	NT801S	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R107	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R309	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
⚠ 3	R422S	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R507	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R508	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R509	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R717	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J162	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J105	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J112	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J153	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J183	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J204	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J209	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J177	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J211	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J212	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J199	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J184	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	C912	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	L910	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J801	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J802	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J169	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J200	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
⚠ 3	D802	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R805	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R850	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R701	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R229	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J179	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J180	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J601	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J603	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J814	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R101	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R102	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R708	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	J207	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JK04	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	EY401	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY402	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY405	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY406	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY407	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY408	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY409	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY410	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY411	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY412	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY414	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY415	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY416	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY417	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY419	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY420	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY421	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY422	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY423	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY501	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY802	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY803	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY807	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY808	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY809	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY810	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY813	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY818	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY819	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY821	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY822	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY825	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY827	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY828	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY829	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY850	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY851	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY852	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY853	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY860	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY861	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY824	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY823	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY833	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY801	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY403	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY404	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY101	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY830	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EL301	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	

Level	Loc. No.	Code No.	Description ; Specification	Remark
3	EL302	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL403	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL407	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL408	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL501	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL502	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL801	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL802	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL804	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL404	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL603	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	EL604	AA60-40011B	EYELET;ID2.2,OD3.2,-,-,BSP,-	
3	GT101	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT301	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT302	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT401	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT402	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT502	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT801	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT802	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT803	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT804	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT805	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT806	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT501	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT807	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	R424	2004-001402	R-METAL(S);6.8KOHM,1%,1/2W,AA,TP,2.4X6.4	
⚠ 3	FD801S	3601-001163	FUSE-AXIAL LEAD;125V,7A,-,EPOXY,2.4X7.1M	
⚠ 3	D807	0402-000493	DIODE-RECTIFIER;1R5GU41,400V,1.5A,DO-15L	
3	D303	0402-001321	DIODE-RECTIFIER;1A4G,400,1A,R-1,TP	
⚠ 3	D809	0402-001321	DIODE-RECTIFIER;1A4G,400,1A,R-1,TP	
3	C115	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
3	C211	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
3	C911	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
3	C822	2401-000711	C-AL;2200uF,20%,25V,GP,TP,16x25,7.5	
3	C806	2301-001435	C-FILM,PPF;1.5nF,5%,1.2kV,TP,15x8x12.5mm	
3	C207	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
3	C901	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
3	HIC01	AA13-20004W	IC-HYBRID;-,PAP103T,SIP,6P,PRE-AMP,TP	
3	RW701	2011-001133	R-NETWORK;33K/24K/75x3,5%,1/8W,X,SIP,6P,	
3	R421	2008-001114	R-FUSIBLE(S);1.5ohm,5%,2W,AG,TP,3.9x12mm	
3	PCB	AA41-00131G	PCB-MAIN;G,KS1A,FR-1,1L,C,1.6T,245	
3	C702	2202-000210	C-CERAMIC,MLC-AXIAL;270PF,10%,50V,Y5P,TP	
3	R413	2003-001035	R-METAL OXIDE(S);27ohm,5%,2W,AF,TP,3.9x1	
⚠ 3	FP801S	3601-000281	FUSE-CARTRIDGE;250V,4A,TIME-LAG,GLASS,5.	
3	L101	2701-000171	INDUCTOR-AXIAL;330NH,10%,2.5X3.4MM	
3	J101	2001-000613	R-CARBON;3.9KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	L807	2701-001030	INDUCTOR-AXIAL;43uH,10%,5x14mm	
3	L804	2701-001030	INDUCTOR-AXIAL;43uH,10%,5x14mm	
3	C403	2401-000560	C-AL;1uF,20%,160V,GP,TP,6.3x11,5	
3	C615	2202-000253	C-CERAMIC,MLC-AXIAL;4.7nF,20%,16V,Y5R,TP	
3	R306	2004-004969	R-METAL(S);1.1Kohm,1%,1/2W,AA,TP,2.4x6.4	
3	R303	2008-001013	R-FUSIBLE(S);1.2ohm,5%,2W,AF,TP,3.9x10mm	
3	R406	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	R302	2004-001369	R-METAL(S);1.2Kohm,1%,1/2W,AA,TP,2.4x6.4	
⚠ 3	D804	0401-000006	DIODE-SWITCHING BAV21,250V,250mA,DO-35,T	
⚠ 3	D805	0402-001443	DIODE-RECTIFIER;EGP20K,800V,1.5A,DO-204A	
3	R808	2001-001138	R-CARBON(S);390OHM,5%,1/2W,AA,TP,2.4X6.4	
3	R831	2001-001088	R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4M	
3	R405	2001-001116	R-CARBON(S);27OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	C203	2401-002462	C-AL;33uF,20%,16V,GP,TP,5x11,5	
3	R811	2003-002239	R-METAL OXIDE(S);100KOHM,5%,2W,AF,TP,3.9	
3	R812	2003-002239	R-METAL OXIDE(S);100KOHM,5%,2W,AF,TP,3.9	
3	Z203	2903-000181	FILTER-CERAMIC;TR,5.5MHz,-,-,-,TP,TPS5.5	
3	R505	2008-000254	R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP,3.9x10m	
3	R840	2001-001122	R-CARBON(S);3.9KOHM,5%,1/2W,AA,TP,2.4X6.	
3	C818	2401-003028	C-AL;100uF,20%,25V,WT,TP,6.3x11,5	
3	DZ802	0403-001318	DIODE-ZENER;MTZJ4.3B,4.17-4.43V,500mW,DO	
3	R728	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R923	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	C603	2301-000247	C-FILM,PEF;33nF,5%,50V,TP,8.1x4.5x13mm,5	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
3	C102	2202-000279	C-CERAMIC,MLC-AXIAL;47pF,5%,50V,SL,TP,3.	
3	R601	2001-000812	R-CARBON;5.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	DZ401	0403-001319	DIODE-ZENER;MTZJ4.7C,4.68-4.93V,500mW,DO	
3	DZ906	0403-001319	DIODE-ZENER;MTZJ4.7C,4.68-4.93V,500mW,DO	
3	DZ907	0403-001319	DIODE-ZENER;MTZJ4.7C,4.68-4.93V,500mW,DO	
3	DZ908	0403-001319	DIODE-ZENER;MTZJ4.7C,4.68-4.93V,500mW,DO	
⚠ 2	NT802S	1404-001045	THERMISTOR-NTC;4.7OHM,15%,2900K,35.0MW,T	
⚠ 2	P803S	1404-001156	THERMISTOR-PTC;9OHM,+30%/-20%,220VRMS,27	
⚠ 2	CX801S	2306-000318	C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm	
⚠ 2	SF101S	2904-001063	FILTER-SAW AV;38.9MHz,SIP5K,TP,17dB,PAL-	
⚠ 2	T401	AA26-50001B	TRANS-HORIZ.DRIVE;-,-,-,7.1mH,-,-,102uH,	
⚠ 2	LX801S	AA29-30001D	FILTER-LINE NOISE;SQ1913,-,6.0MH,0.8A,-	
⚠ 2	TU01S	AA40-00076A	TUNER;TECC0949PG35A(S),PAL,181CH,38.9MHZ	
2	IC501	HA96-50311A	ASSY-H/S;-,VIDEO,AA62-30175D,TDA6107Q,-	
3	IC501	1201-001541	IC-VIDEO AMP;6107,ZSIP,9P,-,SINGLE,-,PLA	
3	SCR501	HA60-020004	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YE),SWR	
3	H/S501	AA62-30175D	HEAT SINK-PS;-,SECC,T1.0,-,33X15X30 FT-2	
⚠ 2	V999S	3704-001089	SOCKET-CRT;7P,22.5PI,12PI,SN,-	
⚠ 2	IC801S	HA96-00242A	ASSY-H/S;-,-,AA62-30186B,KA5Q0765R,-	
⚠ 3	IC801	1203-001932	IC-PWM CONTROLLER;5Q0765,TO-220F,5P,185M	
3	SCR801	HA60-020007	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YELYEL)	
3	H/S801	AA62-30186B	HEAT SINK-ES;-,-,-,SILVER,171J + COVER-H	
3		HA68-500033	LABEL-WARNING;A/P(90G),W33,H18,WHT	
3		0205-000129	GREASE-SILICON;SC102,,JAPAN	
⚠ 2	IC802	HA96-00245A	ASSY-H/S;-,POWER,AA62-00055A,KA7632,-	
⚠ 3	IC802	1203-001939	IC-POSI.FIXED REG.;7632,SIP,10P,-,PLASTI	
3	H/S802	AA62-00055A	HEAT SINK-PS;-,-,T1.0,-,35*15*25,D1,-,-,	
3	SCR802	HA60-020004	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YE),SWR	
2	IC902	1103-001106	IC-EEPROM;C81DC,1028x8Bit,DIP,8P,300MIL,	
2	Q401	0502-001160	TR-POWER;2SD2499,NPN,50000mW,TO-3P,BK,8-	
2	JS701	3722-000183	JACK-SCART;21P,4mm,SN,BLK,NO	
2	TOP	AA39-20010D	LEAD CONNECTOR-ASSY;,1P,YFH800-01,S,400,	
2	CN501	AA39-20620C	LEAD-CONNECTOR,ASSY;,9P,YBNH250-09,S,500	
2	IC301	HA96-00244A	ASSY-H/S;-,-,AA62-00046A,LA7840,-	
3		1204-001483	IC-VERTICAL PROCESSO;LA7840,SIP,7P,708MI	
3		AA62-00064A	HEAT SINK-PS;DP,-,-,-,AA62-00046A,-,-,-,	
3		6003-000335	SCREW-TAPTITE;RH,+,2S,M3,L8,ZPC(YEL),SL)	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	C801	2401-002221	C-AL;220uF,20%,450V,GP,ST,25x40,10	
⚠ 2	T444S	AA26-00116A	TRANS FBT;FSV-14A004H(S),CT15A8,3.24MH,1	
2	SUB	AA98-00079A	ASSY-SUB,PART;KS1A,MAIN(OPT),PAL,-	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
3		0204-000442	SOLVENT;1M-1000,C3H70H,96,-	
3		0204-001024	FLUX;DF-98TVS,-,20%,-	
⚠ 2	LR401S	AA27-00053A	COIL-LINEARLITY;-,193uH,DR10X10 C:4.35,7	
⚠ 2	CR410S	2303-001015	C-FILM,PPF;5.5nF,5%,1.6kV,TP,29x9.5x17,2	
2	IC602	HA96-00245B	ASSY-H/S;-,SOUND,AA62-30175D,TDA8943,-	
3	SCR602	HA60-020004	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YE),SWR	
3	H/S602	AA62-30175D	HEAT SINK-PS;-,SECC,T1.0,-,33X15X30 FT-2	
3	IC602	1201-001740	IC-AUDIO AMP;TDA8943,SIL,9P,850MIL,SINGL	
2	CN703	3711-002648	CONNECTOR-HEADER;BOX,9P,1R,2.5MM,STRAIGH	
2	CN601	3711-002642	CONNECTOR-HEADER;BOX,3P,1R,2.5MM,STRAIGH	
2	CN902	3711-002642	CONNECTOR-HEADER;BOX,3P,1R,2.5MM,STRAIGH	
2	CN901	3711-003043	CONNECTOR-HEADER;BOX,4P,1R,2.5mm,STRAIGH	
⚠ 2	CR402S	2306-000172	C-FILM,MPPF;270nF,5%,400V,BK,26.5x19mm,2	
2	LW01	AA27-00184A	COIL-HORIZ.WIDTH;480UH,480UH,6X20,0.12X1	
⚠ 2	CY801S	2201-000446	C-CERAMIC,DISC;3.3nF,20%,400V,Y5U,TP,18x	
⚠ 2	IC201S	AA09-00188A	IC-MOC;TDA9351PS/N2H6,SPM-802EE,64K,DIP,	
⚠ 2	T801S	AA26-00134A	TRANS-SWITCHING;,CS21S5T,160V~260V,PM2 P	

ASSY-CRT

1	*	HA94-01715A	ASSY-CRT;A34JLL80X27,+380MG,14,ITC,ORIO	
2		AA03-00120A	CRT-COLOR;A34JLL80X27,14,1.0R,57.5%,+380	
2		AA39-20518A	LEAD CONNECTOR-ASSY;,6(4)P,YFH806-06,350	
2		AA27-20003U	COIL-DEGAUSSING;-,14,16.4ohm,75T,890mm,D	
2		AA63-10002A	BAND-TIE;-,NYLON66 V2,-,-,L100,NTR,-,-	
2		AA98-70032A	ASSY-TBC,WIRE(P);DP,14,AA98-70014A,1P,TV	

ASSY-ACCESSORY

1	*	HA94-016003	ASSY-ACCESSORY;KS1A,14,XEH	
2		4301-000120	BATTERY-MN;1.5V,-,AA,14.5X50MM,-	
2		AA26-90001C	TRANS-MATCHING;-,300ohm/75ohm,PAL,40-890	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2		AA42-00003A	ANT-ROD;-,3S,720mm,ABS,UL/CSA,-	
2		HA02-030003	TAPE-ACETATE;-,T00.1,W20,L200MM	
2		HA69-00276A	VINYL-BAG;HDPE,T0.025,L400,W240,-,W/O LO	
2		HA68-00320A	LABEL CAUTION;-,S15A,CEFTA,-,-,-	
2		HA68-00336B	CARD-WARRANTY;A/P100(G),A5,NEW VERSION,I	

ASSY-PACKING

1	*	HA90-800061	ASSY-PACKING;14Y5,WHITE	
2		HA69-00317A	CUSHION-SET;14Y5,PS C=002,-,-,-	
3		HA01-030006	RESIN-EPS;CHEIL SF-301V,WHT	
2		HA69-00401A	PACKING-CASE;14Y5,A4,CB S-1 A,YEL,414,42	
2		AA69-30032A	BAG-SHEET;HDPE+PE FOAM,-,W800,H750,-,-,-	
2		AA60-40006A	PIN-STAPLE;-,-,H18,33X17.8X2.4,-,AUTO	
2		HA68-500043	LABEL-COLOUR;14Y5,IVORY	
2		HA68-500026	LABEL-BOX;A/P (120G),T0.2,-,-,STANDARD	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	

ASSY-CABINET,FRONT

1	*	HA91-100044	ASSY-CABINET,FRONT;14Y5,IVORY	
2		AA61-60003J	SPRING-CS;-,SUS304,-,-,OD6,N7,OD6,-,-,-	
2	IL+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	KC+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2		HA64-00864A	KNOB-POWER,M;14Y5,HIPS,HB,GD-906P	
3		HA64-300108	KNOB-POWER;14Y5,HIPS,HB,GRY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060019	MARKING-PAINT;METALLIC-CHAMPAGNE,GD-906P	
2		HA64-00865A	WINDOW-REMOCON;14Y5,PC,-,-,-VO,VIOLET	
3		HA01-030005	RESIN-PC;LEXAN 121R,VIOLET	
2		HA64-00861D	CABINET-FRONT;14Y5,IV-007P EPISOIDE,HIPS	
3		HA64-300109	CABINET-FRONT;14Y5,HIPS,HB,NTR	
4		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA02-060016	MARKING-PAINT;IVORY-WHITE,IV-007P,VPAA3	
3		HA02-060015	MARKING-PAINT;-,TO/3000,BLACK	
3		HA61-00374A	BOSS-CABINET;14Y5,HIPS,HB,G3676	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
3		HA02-010003	ADHESIVE-STR;GP-PS 2	
2		HA64-00866A	INDICATOR-LED;SPACE	
3		HA01-030009	RESIN;OROGLAS,VM-100 ZHN 205	
2		HA64-00863D	KNOB-CONTROL;14Y5,HIPS,HB,IV-007P,IVORY	
3		HA64-300110	KNOB-CONTROL;14Y5,HIPS,HB,GRY	
4		0103-000287	RESIN-HIPS;HR-1360,BLK,476L,HB	
4		HA01-030011	RESIN;M.BATCH,WILSON 6007-GY-60,GRY	
3		HA02-060016	MARKING-PAINT;IVORY-WHITE,IV-007P,VPAA3	
2		AA64-70127F	BADGE-BRAND;NEW,AL,-,-,L40,R800,SILVER,S	
2		AA65-30105A	CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,NTR,1	
2		HA02-010004	ADHESIVE-HM;-,12MM	

ASSY-CABINET(COM)

1	*	HA90-200037	ASSY-CABINET(COM);14Y5,IVORY	
2	PCB+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	HAV+PC	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2	CB+CF	HA60-020003	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(BLK)K),S	
2		HA60-020006	SCREW-TAPTITE;RWH,+,B,M3,L10,ZPC(YEL)SWR	
2	CRT+CF	HA60-020010	SCREW-ASSY;WC,HH,+,M5,L26.5,SWRCH18A,ZPC	
2		HA64-00862D	CABINET-BACK;14Y5,IV-007P,HIPS,V2,W/GRAY	
3		HA64-300111	CABINET-BACK;14Y5,HIPS,HB,	
4		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA02-060016	MARKING-PAINT;IVORY-WHITE,IV-007P,VPAA3	
2		AA65-30008A	CLAMP-CORD;PE,HB,BLK,-,-,-	
2		AA65-30106A	CLAMP-D,COIL;14 INCH,NYLON 66,V2,-,NTR,-	
2		AA65-30009A	CLAMP-FBT;ABS,V0,BLK,-,-,-	
2		AA65-30002A	CLAMP-FBT;NYLON-66,V0,BLK,-,-,-	
2		AA65-30104B	CLAMP-WIRE;ALL MODEL,NYLON 66,V2,-,BLK,W	
2		AA65-30018A	CLAMP-WIRE;DONG-A,NYLON-66,-,-,-,DATL-60	
2		HA64-00867D	DECORATION-TOP;14Y5,HIPS,HB,G7666,OG-009	
3		HA64-300112	DECORATION-TOP;14Y5,HIPS,HB,NTR	
4		HA01-030017	RESIN-HIPS;NTR,HB,DOW A-TECH,IEC65,	
3		HA02-060020	MARKING-PAINT;ORANGE,OG-009P,VPAA3984	
2		HA61-00371D	HOLDER-A/V;14Y5,IV-007P,EPISOIDE,HIPS,HB	
3		HA61-100007	HOLDER-A/V;14Y5,HIPS,HB,GRAY	
4		0103-000288	RESIN-PP;GENERAL,BLK,-,V0	
3		HA02-060016	MARKING-PAINT;IVORY-WHITE,IV-007P,VPAA3	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	
2		HA68-500025	LABEL-RATING;A/P 90G,T0.2,L55,W55,STANDA	
2		HA68-500021	LABEL-QMS;-,T0.1,L135,W35,WHT,-,-	

ASSY-PCB,A/V SIDE

1	*	HA95-900049	ASSY-PCB,A/V SIDE;-,14Y5,KS1A	
2	CN702	AA39-20112E	LEAD CONNECTOR-ASSY;,9P,YBNH025-09,67096	
2	JA701	3722-001343	JACK-RCA;1P,3.4MM,NI,WHT,-	
2	JA702	3722-001342	JACK-RCA;1P,3.4MM,NI,YEL,-	
2	JE601	3722-000144	JACK-PHONE;1P,3.6mm,MBAG,BLACK,-	
2	PCB(AC	HA99-200076	ASSY-PCB,A/V SIDE(ACI);-,14Y5,KS1A	
3	CE01	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	CE06	2202-000862	C-CERAMIC,MLC-AXIAL;390pF,10%,50V,Y5P,TP	
3	CE07	2202-000222	C-CERAMIC,MLC-AXIAL;3.3nF,20%,16V,Y5P,TP	
3	JE01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	LE01	2701-000158	INDUCTOR-AXIAL;22uH,10%,2.5x3.4mm	
3	PCB	AA41-00266B	PCB-FRONT A/V;CB-14Y5T,FR-1,1L,B,1.6T,24	
3	RE01	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	RE04	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
2		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
2		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
2		0204-001024	FLUX;DF-98TVS,-,20%,-	
2		0204-000442	SOLVENT;1M-1000,C3H70H,96,-	

ASSY-PCB,CONTROL

1	*	HA95-900051	ASSY-PCB,CONTROL;14Y5,KS1A,TTX	
2	LDC01	0601-000465	LED;ROUND,GRN,5mm,565	
2	RMC01	AA59-60002B	MODULE-REMOCON;-,ORC-50HF,38KHZ,940MM,ME	
2	SWC01	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	SWC02	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	SWC03	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	SWC04	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	SWC05	3404-000176	SWITCH-TACT;12V,50mA,120gf,6x6mm,SPST	
2	CN901C	AA39-00106C	LEAD CONNECTOR-ASSY;,4P,YBNH250-04,35155	
2	CN902C	AA39-00170A	LEAD CONNECTOR-ASSY;,3P,YBNH250-03,67096	
2	PCB(AC	HA99-200078	ASSY-PCB,CONTROL(ACI);14Y5,KS1A	
3	CC01	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
3	DZC01	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZC03	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZC04	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	R901C	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R903C	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R902C	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R904C	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R905C	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R906C	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R915C	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R927C	2001-000793	R-CARBON;47OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	PCB	AA41-00480A	PCB-CONTROL;CS14Y5,FR-1,1L,A,1.6T,245X24	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	

ASSY-PCB,MASTER S/W

1	*	HA95-900050	ASSY-PCB,MASTER S/W;-,14Y5,KS1A,-,-,-	
2	SWP01	3403-000179	SWITCH-PUSH;250V,5A,DPST,-,JPW-2104B	
2	PCB(AC	HA99-200077	ASSY-PCB,MASTER S/W(ACI);-,14Y5,KS1A,-,-	
3	EY01	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	

Level	Loc. No.	Code No.	Description ; Specification	Remark
3	EY02	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY03	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	EY04	AA60-40011A	EYELET;ID2.0,OD2.8,-,-,BST,-	
3	GT01	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT02	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT03	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT801	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT802	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	GT803	AA60-40014A	PIN-GT,ASSY;1P,-,-,AUTO	
3	PCB	AA41-00295A	PCB-MASTER S/W;CB-14Y5T,CEM-1,1L,A,1.6T,	
2	CN	AA39-20179B	LEAD CONNECTOR-ASSY;,3(2)P,YFH800-150,S,	

REMOCON

1	*	AA59-00104N	REMOCON;,TM59,SIM806E,29,L/GRAY,TTX/MONO	

ASSY-POWER,CORD

⚠ 1	*	AA96-20122A	ASSY-POWER,CORD;-,CP2/NO(4.0),H/C250,KKJ	

ASSY-SPEAKER

1	*	AA96-10142B	ASSY-SPEAKER;-,16OHM2.5W,3001-000275,A	
2		AA39-20500C	LEAD CONNECTOR-ASSY;,3(2),67096-003,REC,	
2		3001-000275	SPEAKER;2.5W,16ohm,90dB,105Hz	

7-20 CZ20F12TSXXEH(CZ20F12TSXXEH and CZ14Y52TSXXEH)

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY-PCB,MAIN(OPT)

1	*	HA94-100798	ASSY-PCB,MAIN(OPT);CZ,501F,TTX,KS	
2	PCB(AC	HA99-100754	ASSY-PCB,MAIN(ACI);CZ,501F,KS1A	
3	DZ903	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ904	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ905	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	R905	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R906	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R902	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R904	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R901	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R903	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R927	2001-000793	R-CARBON;47OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R915	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R501H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R502H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R315	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R814	2008-001112	R-FUSIBLE(S);2.4ohm,5%,2W,AG,TP,3.9x12mm	
3	R815	2008-001112	R-FUSIBLE(S);2.4ohm,5%,2W,AG,TP,3.9x12mm	
3	SW901	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW902	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW903	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW904	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW905	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	JK01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JK02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JK03	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R423	2004-001373	R-METAL(S);100KOHM,1%,1/2W,AA,TP,2.4X6.4	
3	R303	2003-002070	R-METAL OXIDE;1ohm,5%,2W,AF,TP,3.9x10mm	
3	R505	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
⚠ 3	CR409S	2201-002041	C-CERAMIC,DISC;0.82nF,10%,2kV,Y5P,TP,9x5	
2	LD901	AA96-00555A	ASSY LED GUIDE;-,-,UEX-LD-030,GREEN	
⚠ 2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
2	RM901	AA32-00001A	MODULE REMOCON;-,ORC-195VF,38KHZ,940nm,M	
⚠ 2	SW801S	3403-000179	SWITCH-PUSH;250V,5A,DPST,-,JPW-2104B	
⚠ 2	LR401S	AA27-30001B	COIL-LINEARLITY;-,195uH,QIC1010,PI0.4,4.	
2	LW01	AA27-40001N	COIL-HORIZ.WIDTH;-,90/260uH,SB-5S620,PI0	
2	CR402	2306-000195	C-FILM,MPPF;360nF,5%,400V,TP,26x19x11.5,	

ASSY-CRT

1	*	HA94-50011A	ASSY-CRT;A48ECR43X,+400mG,20,90deg,	
2		AA03-00280A	CRT COLOR;A48ECR43X,+380MG,1.85MH,28.7MH	
2		AA27-20003Y	COIL-DEGAUSSING;-,20,15.2ohm,28T,L2170,E	
2		AA63-10002A	BAND-TIE;-,NYLON66 V2,-,-,L100,NTR,-,-	
2		AA98-70031A	ASSY-TBC,WIRE(P);DP,20,AA98-70014B,1P,TV	
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT	

ASSY-PACKING

1	*	HA90-21005A	ASSY-PACKING;20F1	
2		AA69-30032C	BAG-SHEET;HDPE+PE FOAM,-,W1050,H950,-,-	
2		HA69-200014	CUSHION-SET;-,-,-,-,C=0.02,501	
2		HA69-500013	PACKING-CASE;DP,CB35,-,-,-,YEL,501	

ASSY-CABINET,FRONT

1	*	HA91-20005A	ASSY-CABINET,FRONT;20F1,SILVER	
2		AA61-60003T	SPRING-CS;-,SUS304,-,-,OD7,N5,OD7,-,-,-,	
2		HA64-25011A	KNOB-POWER;20F1,21F1,HIPS,SV-012P-II,SIL	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA64-26011A	KNOB-POWER;20F1,21F1,HIPS,HB,GRAY	
2		HA64-23011A	KNOB-CONTROL;20F1,21F1,HIPS,SV-012P-II.S	
3		HA64-24011A	KNOB-CONTROL;20F1,21F1,HIPS,HB,GRAY	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
2		AA64-40450B	WINDOW-REMOCON;-,501F,-,PC,V0,VIOLET,-	
2		AA64-40451B	INDICATOR-LED;-,33.501F,-,ACRYL,-,CLR,-	
2		0203-000432	TAPE-ACETATE;#156A,T0.25mm,W19mm,L30M,-	
2		HA64-20005A	CABINET,FRONT;20F1,HIPS,HB,SV-012P-II,	
3		HA64-21005A	CABINET,FRONT;20F1,HIPS,HB,GREY	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA02-060005	MARKING-PAINT;-,TPC180,WHITE	
2		HA96-00254A	ASSY-SPEAKER;-,16OHM,3W,-,3001-001039,70	
3		3001-001039	SPEAKER;3W,16ohm,90dB,180Hz	

ASSY-CABINET(COM)

1	*	HA90-20027A	ASSY-CABINET(COM); 20F1	
2		HA63-600005	SPACER-GUM,CRT;-,NTR RUBBER,T5.0,M5,BLK,	
2		HA64-22005A	CABINET-BACK;20F1,HIPS,HB,GRAY	
2		HA02-030005	TAPE-INK;WIDTH 55 MM	

7-21 CZ20H32TSXXEH(CZ20H32TSXXEH and CZ14Y52TSXXEH)

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY-PCB,MAIN(OPT)

1	*	HA94-100794	ASSY-PCB,MAIN(OPT);CZ,20H1-H3,TTX,KS1A	
2	PCB(AC	HA99-100749	ASSY-PCB,MAIN(ACI);CZ,20H1-H3,KS1A	
3	DZ903	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ904	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ905	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	R905	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R906	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R902	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R904	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R901	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R903	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R927	2001-000793	R-CARBON;47OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R915	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R501H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R502H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R315	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R303	2003-002070	R-METAL OXIDE;1ohm,5%,2W,AF,TP,3.9x10mm	
3	C915	2401-000302	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
3	SW901	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW902	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW903	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW904	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW905	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	J181	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R423	2004-001373	R-METAL(S);100KOHM,1%,1/2W,AA,TP,2.4X6.4	
3	R505	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
⚠ 3	CR409S	2201-002041	C-CERAMIC,DISC;0.82nF,10%,2kV,Y5P,TP,9x5	
2	LD901	AA96-00555A	ASSY LED GUIDE;-,-,UEX-LD-030,GREEN	
⚠ 2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
2	RM901	AA32-00001A	MODULE REMOCON;-,ORC-195VF,38KHZ,940nm,M	
⚠ 2	SW801S	3403-000179	SWITCH-PUSH;250V,5A,DPST,-,JPW-2104B	
⚠ 2	CR402S	2306-000195	C-FILM,MPPF;360nF,5%,400V,TP,26x19x11.5,	
⚠ 2	LR401S	AA27-30001B	COIL-LINEARLITY;-,195uH,QIC1010,PI0.4,4.	
2	LW01	AA27-40001N	COIL-HORIZ.WIDTH;-,90/260uH,SB-5S620,PI0	
2	CN603	3711-002643	CONNECTOR-HEADER;BOX,4P,1R,2.5mm,STRAIGH	

ASSY-CRT

1	*	HA94-50011A	ASSY-CRT;A48ECR43X,+400mG,20,90deg,	
2		AA03-00280A	CRT COLOR;A48ECR43X,+380MG,1.85MH,28.7MH	
2		AA27-20003Y	COIL-DEGAUSSING;-,20,15.2ohm,28T,L2170,E	
2		AA98-70031A	ASSY-TBC,WIRE(P);DP,20,AA98-70014B,1P,TV	
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT	

ASSY-PCB,A/V FRONT

1	*	HA95-900053	ASSY-PCB,A/V FRONT;KS1A,(..73,..H1)	
2	JE601	3722-000143	JACK-PHONE;1P(VER),3.4mm,AG,BLK,NO	
2	JA702	3722-000506	JACK-RCA;2P,3.6MM,-,AG	
2		HA99-200080	ASSY-PCB,A/V FRONT(ACI);KS1A,(..73,..H1)	
3	RE02	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
3	JE02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JE04	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	RE05	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JE03	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	PCB	AA41-10903B	PCB-A/V FRONT;S15A,1L,FR-1,245x245x1.6T,	

ASSY-PACKING

1	*	HA90-800068	ASSY-PACKING;20H3,	
2		HA69-00681A	CUSHION SET;20H3,CASTING,	
2		HA69-00723B	PACKING-CASE;20H3,CB,D-1,BB,A1,YEL,	
2		AA69-30032C	BAG-SHEET;HDPE+PE FOAM,-,W1050,H950,-,-,	

ASSY-CABINET,FRONT

1	*	HA91-100059	ASSY-CABINET,FRONT;20H3,SV-012P-II.	
2		AA61-60003T	SPRING-CS;-,SUS304,-,-,OD7,N5,OD7,-,-,-,	
2		AA64-70010B	BADGE-BRAND;-,AL,-,-,L50,-,SILVER,SS R20	
2		HA64-01338A	KNOB-POWER;20H3,HIPS,HB,BLK	
3		HA01-030001	RESIN;M.BATCH,WILSON 902-BK-60,BLK	
2		HA64-01339A	WINDOW-REMOCON;20H3,PC,VIOLET,	
2		HA64-01340A	INDICATOR-LED;20H3,ACRYL,	
2		HA64-01337A	KNOB-CONTROL;20H3,HIPS,HB,BLK,	
3		HA01-030001	RESIN;M.BATCH,WILSON 902-BK-60,BLK	
2		HA64-01438A	CABINET-FRONT;20H3,HIPS,HB,SV-012P-II.	
3		HA02-060005	MARKING-PAINT;-,TPC180,WHITE	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA64-01438B	CABINET-FRONT;20H3,HIPS,HB,	
2		0203-000432	TAPE-ACETATE;#156A,T0.25mm,W19mm,L30M,-	
2		3001-000280	SPEAKER;5W,16OHM,90DB,150HZ	
2		AA39-20505M	LEAD CONNECTOR-ASSY;,4P,SMH025-04,REC,30	

ASSY-CABINET(COM)

1	*	HA90-200044	ASSY-CABINET(COM)SET,20H3,	
2	AV+CF	HA60-020008	SCREW-TAPTITE;RWH,+,B,M4,L12,ZPC(YEL),SW	
2		HA64-01439A	CABINET-BACK;20H3,HIPS,HB,GRY,	
2		HA02-030005	TAPE-INK;WIDTH 55 MM	
2		HA63-600005	SPACER-GUM,CRT;-,NTR RUBBER,T5.0,M5,BLK,	

7-21 CZ21F12TSXXEH(CZ21F12TSXXEH and CZ14Y52TSXXEH)

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY-CABINET(COM)

1	*	HA90-20011A	ASSY-CABINET(COM); 21F1	
2		AA65-30008A	CLAMP-CORD;PE,HB,BLK,-,-,-	
2		HA64-22011A	CABINET-BACK;21F1,HIPS,HB,GRAY	
2		HA02-030005	TAPE-INK;WIDTH 55 MM	
2		HA68-500021	LABEL-QMS;-,T0.1,L135,W35,WHT,-,-	
2		HA02-030006	TAPE-INK; WIDTH 105 MM	
2		HA63-600004	SPACER-GUM,CRT;-,NTR RUBBER,T2.5,M5,BLK,	

ASSY-PACKING

1	*	HA90-21011A	ASSY-PACKING;21F1	
2		HA69-200015	CUSHION-SET;-,-,-,-,C=0.02,531	
2		HA69-500014	PACKING-CASE;DP,CB35,-,-,-,YEL,531	
2		AA69-30032C	BAG-SHEET;HDPE+PE FOAM,-,W1050,H950,-,-	

ASSY-CABINET,FRONT

1	*	HA91-20011A	ASSY-CABINET,FRONT;21F1,SILVER	
2		AA61-60003T	SPRING-CS;-,SUS304,-,-,OD7,N5,OD7,-,-,-	
2		HA64-25011A	KNOB-POWER;20F1,21F1,HIPS,SV-012P-II,SIL	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
3		HA64-26011A	KNOB-POWER;20F1,21F1,HIPS,HB,GRAY	
2		HA64-23011A	KNOB-CONTROL;20F1,21F1,HIPS,SV-012P-II.S	
3		HA64-24011A	KNOB-CONTROL;20F1,21F1,HIPS,HB,GRAY	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
2		AA64-40450B	WINDOW-REMOCON;-,501F,-,PC,V0,VIOLET,-	
2		AA64-40451B	INDICATOR-LED;-,33.501F,-,ACRYL,-,CLR,-	
2		0203-000432	TAPE-ACETATE;#156A,T0.25mm,W19mm,L30M,-	
2		HA64-20011A	CABINET,FRONT;21F1,HIPS,HB,SV-012P-II,	
3		HA64-21011A	CABINET,FRONT;21F1,HIPS,HB,GREY	
3		HA02-060005	MARKING-PAINT;-,TPC180,WHITE	
3		HA02-060025	MARKING-PAINT;METALLIC-SILVER,SV-012P-II	
2		HA96-00254A	ASSY-SPEAKER;-,16OHM,3W,-,3001-001039,70	
3		3001-001039	SPEAKER;3W,16ohm,90dB,180Hz	

ASSY-PCB,MAIN(OPT)

1	*	HA94-100809	ASSY-PCB,MAIN(OPT);CZ,531F,TTX,KS	
2		HA99-100752	ASSY-PCB,MAIN(ACI);CZ,531F,KS1A,	
3	DZ903	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ904	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	DZ905	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
3	R905	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R906	2001-000005	R-CARBON;390OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R902	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R904	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R901	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R903	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
3	R927	2001-000793	R-CARBON;47OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R915	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3	R501H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R502H	2002-001008	R-COMPOSITION;1.8KOHM,5%,1/2W,AA,TP,3.7X	
3	R315	2003-000652	R-METAL OXIDE(S);330OHM,5%,2W,AF,TP,4X12	
3	R814	2008-001112	R-FUSIBLE(S);2.4ohm,5%,2W,AG,TP,3.9x12mm	
3	R815	2008-001112	R-FUSIBLE(S);2.4ohm,5%,2W,AG,TP,3.9x12mm	
3	C915	2401-000302	C-AL;100uF,20%,25V,GP,TP,6.3x11,5	
3	SW901	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW902	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW903	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW904	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	SW905	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
3	JK01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JK02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	JK03	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
3	R423	2004-001373	R-METAL(S);100KOHM,1%,1/2W,AA,TP,2.4X6.4	
3	R303	2008-001133	R-FUSIBLE(S);0.75ohm,5%,2W,AF,TP,3.9x10m	
3	R505	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
3		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
3	R306	2004-001390	R-METAL(S);1KOHM,2%,1/2W,AA,TP,2.4X6.4MM	
2	LD901	AA96-00555A	ASSY LED GUIDE;-,-,UEX-LD-030,GREEN	
⚠ 2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
2	RM901	AA32-00001A	MODULE REMOCON;-,ORC-195VF,38KHZ,940nm,M	
3		HA68-500033	LABEL-WARNING;A/PI(90G),W33,H18,WHT	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	SW801S	3403-000179	SWITCH-PUSH;250V,5A,DPST,-,JPW-2104B	
3		1204-001483	IC-VERTICAL PROCESSO;LA7840,SIP,7P,708MI	
3		AA62-00064A	HEAT SINK-PS;DP,-,-,-,AA62-00046A,-,-,-	
3		6003-000335	SCREW-TAPTITE;RH,+,2S,M3,L8,ZPC(YEL),SL)	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,SN63/PB37	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63SN/37PB	
3		0204-000442	SOLVENT;1M-1000,C3H7OH,96,-	
3		0204-001024	FLUX;DF-98TVS,-,20%,-	
2	LW01	AA27-40001M	COIL-HORIZ.WIDTH;-,180/480uH,SB-5S6202.6	
⚠ 2	CR402S	2306-000350	C-FILM,MPPF;270nF,5%,400V,BK,26x18.5x10,	
⚠ 2	LR401S	AA27-30001B	COIL-LINEARLITY;-,195uH,QIC1010,PI0.4,4.	

ASSY-CRT

1	*	HA94-50012A	ASSY-CRT;A51EER31X,+400MG,-,-,-,21	
2		AA03-00279A	CRT COLOR;A51EER33X,+380MG,2.07MH,21.0MH	
2		AA27-20003Z	COIL-DEGAUSSING;-,21,13.5ohm,25T,L2380,E	
2		AA98-70030A	ASSY-TBC,WIRE(P);DP,21,AA98-70014C,1P,TV	
2		AA65-30107A	CLAMP-D,COIL;20~22 INCH,NYLON 66,V2,-,NT	

MEMO